

# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 73 (replaces version 72)

Revision: 14.04.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipa Polyurethan PU 400
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Polyurethane-sealent
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49 8703 92 20 Fax.: +49 8703 92 21 00 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labelling:

4,4'-methylenediphenyl diisocyanate

· Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P284 [In case of inadequate ventilation] wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

As from 24 August 2023 adequate training is required before industrial or professional use. Restricted to professional users.

(Contd. on page 2)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 14.04.2023

(Contd. of page 1)

Printing date 04.08.2023

Trade name: Mipa Polyurethan PU 400

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>			
EC number: 929-018-5	Hydrocarbons, C10-C13, n-alkanes, <2% aromatics		
Reg.nr.: 01-2119475608-26	🚯 Asp. Tox. 1, H304, EUH066		
CAS: 28553-12-0	Di-"isononyl" phthalate	<2.5%	
EINECS: 249-079-5	substance with a Community workplace exposure limit		
Reg.nr.: 01-2119430798-28			
ELINCS: 416-600-4	1,1'-(Methylenedi-4,1-phenylene)bis(3-butylurea)	<2.5%	
Reg.nr.: 01-0000016345-72	Aquatic Chronic 4, H413		
CAS: 101-68-8	4,4'-methylenediphenyl diisocyanate	<i>≥</i> 0.1-<1%	
EINECS: 202-966-0	🚸 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2,		
Reg.nr.: 01-2119457014-47			
	2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204		
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ %		
	Skin Irrit. 2; H315: C ≥ 5 %		
	Resp. Sens. 1; H334: C ≥ 0.1		
	%		
	STOT SE 3; H335: C ≥ 5 %		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released:
- Nitrogen oxides (NOx)

Carbon monoxide (CO) Hydrogen cyanide (HCN)

(Contd. on page 3)

<sup>-</sup> GB

# Professional Coating Systems

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 73 (replaces version 72)

Revision: 14.04.2023

(Contd. of page 2)

#### Trade name: Mipa Polyurethan PU 400

#### 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Contain and collect spillages with non-combustible absorbent materials (e.g. sand, earth, diatomaceous earth) and place in a suitable container.

Decontaminate immediately with suitable mixture (flammable):

- as such usable (inflammatory!):	
water	45 Vol.%
ethanol or isopropanol	50 Vol.%
ammonia solution (Density= 0.88)	5 Vol.%
- alternatively (non-flammable):	
sodium carbonate	5 Vol.%
water	95 Vol.%
dd the same decontaminant to any resi	idues and allow to sta

Ac and for several days in an non-sealed container until no further reaction occurs. Once this stage is reached, close the container and dispose of in accordance with the waste regulations (see Section 13).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Persons with a history of asthma, allergies or chronic or recurrent respiratory diseases should only be employed in processes in which this product is used under appropriate medical supervision. · Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. Store away from foodstuffs.

- · Further information about storage conditions: Store separately from oxidising agents, strongly alkaline and strongly acidic materials, amines, alcohol and water. · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Printing date 04.08.2023



# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 73 (replaces version 72)

Revision: 14.04.2023

Trade name: Mipa Polyurethan PU 400

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

28553-12-0 Di-"isononyl" phthalate

WEL Long-term value: 5 mg/m<sup>3</sup>

### 101-68-8 4,4'-methylenediphenyl diisocyanate

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

#### Ingredients with biological limit values:

#### 101-68-8 4,4'-methylenediphenyl diisocyanate

BMGV 1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment

All personal protective equipment, including respiratory protective equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH Regulations.

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- · Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Goggles recommended during refilling

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 31 Version number 73 (replaces version 72)

Revision: 14.04.2023

(Contd. of page 4)

\_\_\_\_\_

Trade name: Mipa Polyurethan PU 400

SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and cher	nical properties
General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	ondetermined.
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	500 °C (DIN 51794, 1330-20-7 Xylene)
Decomposition temperature:	Not determined.
pH	Not determined.
יח Viscosity:	
Kinematic viscosity at 20 °C	1,100,000-1,65 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
,	6.7-8.2 hPa (1330-20-7 Xylene)
Vapour pressure at 20 °C: Density and/or relative density	0.1-0.2 IIFa (1330-20-1 Ayieiie)
Density and/or relative density	1.361 g/cm³ (DIN EN ISO 2811-1)
Density at 20 °C: Relative density	Not determined.
Relative density Vapour density	Not determined.
· ·	Not determined.
9.2 Other information	
Appearance:	<b>_</b> /
Form:	Pasty
Important information on protection of hea	lth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	2.00 %
Solids content (weight-%):	98.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void

(Contd. on page 6)



# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 73 (replaces version 72)

Revision: 14.04.2023

# Printing date 04.08.2023

# Trade name: Mipa Polyurethan PU 400

		(Contd. of page 5
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Possible in traces. Nitrogen oxides Hydrogen chloride (HCl) Hydrogen cyanide (prussic acid) Carbon monoxide Nitrogen oxides (NOx)

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- <sup>.</sup> Respiratory or skin sensitisation
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) : slightly hazardous for water

(Contd. on page 7)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.08.2023 Version number 73 (replaces version 72)

Revision: 14.04.2023

#### Trade name: Mipa Polyurethan PU 400

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

<sup>.</sup> Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<sup>.</sup> 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordin IMO instruments</li> </ul>	ng to Not applicable.
· UN "Model Regulation":	Void

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
Ι	<1
NK	<2.5

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)



# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 73 (replaces version 72)

Revision: 14.04.2023

#### Trade name: Mipa Polyurethan PU 400

(Contd. of page 7)

#### **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases May be fatal if swallowed and enters airways. H304 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H413 May cause long lasting harmful effects to aquatic life. EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 \*\* Data compared to the previous version altered. GR