

Printing date 03.03.2023

# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 59 (replaces version 58)

Revision: 03.03.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipaxyl Spezial
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Wood-preservative impregnation
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

## · 2.2 Label elements

- <sup>•</sup> Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics</li>
   Hazard statements H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.
   Precautionary statements P101 If medical advice is needed, have product container or label at hand.
  - P102 Keep out of reach of children.
  - P103 Read carefully and follow all instructions.
  - P273 Avoid release to the environment.
  - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
  - P331 Do NOT induce vomiting.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Revision: 03.03.2023

Printing date 03.03.2023

#### Version number 59 (replaces version 58)

Trade name: Mipaxyl Spezial

P391 P405	(Contd. of page 1) Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
· Addition	Additional information:			
EUH066	Repeated exposure may cause skin dryness or cracking.			
EUH208	Contains 3-lodo-2-propynylbutylcarbamate. May produce an allergic reaction.			
<sup>.</sup> 2.3 Othe	· 2.3 Other hazards			
· Results	· Results of PBT and vPvB assessment			
• PBT: No	t applicable.			
• <b>vPvB:</b> N	ot applicable.			
SECTION 3: Composition/information on ingredients				

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics � Asp. Tox. 1, H304, EUH066	50-100%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	2.5-<10%
CAS: 55406-53-6 EINECS: 259-627-5	3-Iodo-2-propynylbutylcarbamate Acute Tox. 3, H331;	<i>≥</i> 0.25-<1%
CAS: 107534-96-3 ELINCS: 403-640-2 Reg.nr.: 01-0000015329-67	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1- ylmethyl)pentan-3-ol	<i>≥</i> 0.025-<0.25%
CAS: 52645-53-1 EINECS: 258-067-9	Permethrin (ISO) Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=1000); Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317 r the wording of the listed bezord phrases refer to sect	≥0.025-<0.1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek immediate medical advice.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

GB



according to 1907/2006/EC, Article 31

Revision: 03.03.2023

Printing date 03.03.2023

Version number 59 (replaces version 58)

Trade name: Mipaxyl Spezial

(Contd. of page 2)

# SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special measures required.

No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.

· Storage class: 10

· 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

## 34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m<sup>3</sup>, 50 ppm Sk

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

GB

# Professional Coating Systems


Safety data sheet according to 1907/2006/EC, Article 31

Version number 59 (replaces version 58)

Revision: 03.03.2023

Printing date 03.03.2023

# Trade name: Mipaxyl Spezial



(Contd. on page 5)



according to 1907/2006/EC, Article 31

Revision: 03.03.2023

Printing date 03.03.2023

# Version number 59 (replaces version 58)

Trade name:	Mipaxyl Spezial
-------------	-----------------

	(Contd. of page 4
<sup>•</sup> 9.2 Other information	
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of heat</li> </ul>	alth
and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	93.17 %
Solids content (weight-%):	6.8 %
Change in condition	
· Evaporation rate	Not determined.
classes · Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
<sup>•</sup> Self-heating substances and mixtures	Void
<sup>•</sup> Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.

(Contd. on page 6)

GB



according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 59 (replaces version 58)

Revision: 03.03.2023

(Contd. of page 5)

Trade name: Mipaxyl Spezial

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

#### · 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) : extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

# SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082	
· 14.2 UN proper shipping name		
ADR	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PAINT)	
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PAINT), MARINE	
	POLLUTANT	
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PAINT)	
	(Contd. on page 7	



Printing date 03.03.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 59 (replaces version 58)

Revision: 03.03.2023

Trade name: Mipaxyl Spezial

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardou substances: hexamethylene diacrylate
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Hazard identification number (Kemler code	
· EMS Number: · Stowage Category	F-A,S-F A
• 14.7 Maritime transport in bulk according to	)
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	51
Limited quantities (LQ) Transport category	5L 3
Tunnel restriction code	(-)
Remarks:	≤ 5I: SV 375 ADR
IMDG	
Limited quantities (LQ) Remarks:	5L ≤ 5I: 2.10.2.7 IMDG-Code
IATA	
Remarks:	<i>≤</i> 51: A 197
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (PAINT), 9, III

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Revision: 03.03.2023

Printing date 03.03.2023 Version number 59 (replaces version 58)

Trade name: Mipaxyl Spezial

(Contd. of page 7)

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

#### · National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

NK 50-100

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- Harmful if swallowed. H302
- May be fatal if swallowed and enters airways. H304
- H317 May cause an allergic skin reaction.
- Causes serious eye damage. H318
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H361d Suspected of damaging the unborn child.
- Causes damage to organs through prolonged or repeated exposure. H372
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 3: Acute toxicity Category 3
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Repr. 2: Reproductive toxicity Category 2
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1

Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 \* \* Data compared to the previous version altered.