

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 45 (replaces version 44)

Revision: 02.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: Mipa 2K-Primer AZ
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Priming
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0
- Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



H336 May cause drowsiness or dizziness.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling:
 2-Methoxy-1-methylethyl acetate
 n-Butyl acetate
 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics
 Hazard statements
 H226 Flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 02.03.2023

Version number 45 (replaces version 44)

Revision: 02.03.2023

Trade name: Mipa 2K-Primer AZ

(Contd. of page 1)

· Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other hazard	S

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 108-65-6	2-Methoxy-1-methylethyl acetate	25-50%
EINECS: 203-603-9 Reg.nr.: 01-2119475791-29	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-Butyl acetate ♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336, EUH066	5-<10%
EC number: 919-857-5 Reg.nr.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ↓ STOT SE 3, H336, EUH066	2.5-<10%
CAS: 7779-90-0 EINECS: 231-944-3 Reg.nr.: 01-2119485044-40	Trizinc bis(orthophosphate) 〈 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	2.5-<10%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32	Xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	1-<2.5%
CAS: 1314-13-2 EINECS: 215-222-5 Reg.nr.: 01-2119463881-32	zinc oxide ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<i>≥</i> 0.025-<0.25%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

(Contd. on page 3)

GB



according to 1907/2006/EC, Article 31

Revision: 02.03.2023

Printing date 02.03.2023

Version number 45 (replaces version 44)

Trade name: Mipa 2K-Primer AZ

(Contd. of page 2)

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available. • **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 45 (replaces version 44)

Revision: 02.03.2023

(Contd. of page 3)

Trade name: Mipa 2K-Primer AZ

SECTION 8: Exposure controls/personal protection	

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

108-65-6 2-Methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

123-86-4 n-Butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

1330-20-7 Xylene

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV

· Ingredients with biological limit values:

1330-20-7 Xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Immediately remove all solled and contaminated clothing
- Wash hands before breaks and at the end of work.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 45 (replaces version 44)

Revision: 02.03.2023

Trade name: Mipa 2K-Primer AZ

• Eye/face protection Tightly sealed goggles	(Contd. of page 4)
SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and che	mical properties
General Information	
· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
Boiling point or initial boiling point and	
boiling range	124-128 °C (123-86-4 n-Butyl acetate)
· Flammability	Flammable.
• Lower and upper explosion limit	
· Lower:	1.2 Vol %
Upper:	10.8 Vol %
Flash point:	23 °C (DIN 53213)
Ignition temperature:	315 °C (DIN 51794)
• Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	25 o (DIN 52211/4)
 Kinematic viscosity at 20 °C 	35 s (DIN 53211/4)

- Kinematic viscosity at 20 °C
- · Dynamic:
- · Solubility
- · water:
- · Partition coefficient n-octanol/water (log value)
- Vapour pressure at 20 °C:
- Density and/or relative density
- · Density at 20 °C: · Relative density
- · Vapour density

Not miscible or difficult to mix. Not determined. <15 hPa

Not determined.

1.328 g/cm3 (DIN 53217) Not determined. Not determined.

· 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Product is not selfigniting. · Auto-ignition temperature: Product is not explosive. However, formation of · Explosive properties: explosive air/vapour mixtures are possible. · Solvent content: 42.57 % · VOC (EC) Solids content (weight-%): 57.4 % · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes Void Explosives

(Contd. on page 6)

GB



according to 1907/2006/EC, Article 31 Version number 45 (replaces version 44)

Revision: 02.03.2023

Printing date 02.03.2023

Trade name: N	Mipa 2K-Primer AZ
---------------	-------------------

		(Contd. of page 5
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
[·] Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- 11.2 Information on other hazards

• Endocrine disrupting properties

78-93-3 Methyl ethyl ketone

List II

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Remark: Toxic for fish

(Contd. on page 7)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 02.03.2023

Version number 45 (replaces version 44)

Trade name: Mipa 2K-Primer AZ

(Contd. of page 6)

Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
• 14.1 UN number or ID number • ADR, IMDG, IATA	UN1263
• 14.2 UN proper shipping name • ADR	UN1263 PAINT, ENVIRONMENTALLY HAZARDOUS
· IMDG · IATA	PAINT (Trizinc bis(orthophosphate), zinc oxide), MARINE POLLUTANT PAINT
· 14.3 Transport hazard class(es)	PAINI
ADR	
· Class · Label	3 (F1) Flammable liquids. 3
·IMDG	
·Class	3 Flammable liquids.
· Label · IATA	3
Class	3 Flammable liquids.
· Label	3 (Contd. on page 8)
	(Conto: on page o)



according to 1907/2006/EC, Article 31

Revision: 02.03.2023

Printing date 02.03.2023

Version number 45 (replaces version 44)

Trade name: Mipa 2K-Primer AZ

	(Contd. of page 7
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
· 14.5 Environmental hazards:	
· Marine pollutant:	No
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	•
· EMS Number:	F-E,S-E
· Stowage Category	A
· 14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	5L
· UN "Model Regulation":	UN 1263 PAINT, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

• National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

NK 25-50

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.

(Contd. on page 9)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 02.03.2023

Printing date 02.03.2023

Version number 45 (replaces version 44) Trade name: Mipa 2K-Primer AZ

	(Contd. of page 8)
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
-	S Repeated exposure may cause skin dryness or cracking.
	cation according to Regulation (EC) No 1272/2008
	sification of the mixture is generally based on the calculation method using substance data to Regulation (EC) No 1272/2008.
	ations and acronyms:
	ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations
Concernin	g the International Transport of Dangerous Goods by Rail)
	ernational Civil Aviation Organisation
	ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning
	ational Carriage of Dangerous Goods by Road) ernational Maritime Code for Dangerous Goods
	rnational Air Transport Association
	bally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	mical Abstracts Service (division of the American Chemical Society)
	atile Organic Compounds (USA, EU) istent, Bioaccumulative and Toxic
	/ Persistent and very Bioaccumulative
	3: Flammable liquids – Category 3
	. 4: Acute toxicity – Category 4
	2: Skin corrosion/irritation – Category 2
	: Serious eye damage/eye irritation – Category 2
	3: Specific target organ toxicity (single exposure) – Category 3 2: Specific target organ toxicity (repeated exposure) – Category 2
	2. Specific larger organ toxicity (repeated exposure) – Calegory 2 1: Aspiration hazard – Category 1
'	cute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	hronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	hronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
· * Data c	ompared to the previous version altered.