

## Safety data sheet

according to 1907/2006/EC, Article 31 Version number 53 (replaces version 52)

Revision: 23.06.2023

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipa EP 975-25 2K-EP-Härter
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Epoxy curing agent
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
  1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

corrosion

Skin Corr. 1BH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.



Acute Tox. 4H302 Harmful if swallowed.Skin Sens. 1H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### · 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

 Hazard-determining components of labelling: Benzyl alcohol
 3-aminomethyl-3,5,5-trimethylcyclohexylamine
 Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer
 m-phenylenebis(methylamine)
 Hazard statements
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 23.06.2023

### Printing date 23.06.2023

Version number 53 (replaces version 52)

Trade name: Mipa EP 975-25 2K-EP-Härter

	(Contd. of page 1)
H317 May cause	e an allergic skin reaction.
H412 Harmful to	aquatic life with long lasting effects.
· Precautionary s	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower].
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· Additional info	rmation:
EUH071 Corros	ive to the respiratory tract.
· 2.3 Other hazar	rds
· Doculte of DRT	and vPvR assassment

Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 100-51-6	Benzyl alcohol	25-50%
EINECS: 202-859-9 Reg.nr.: 01-2119492630-38	Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 2855-13-2 EINECS: 220-666-8 Reg.nr.: 01-2119514687-32	3-aminomethyl-3,5,5-trimethylcyclohexylamine ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 1,030 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	10-25%
CAS: 68609-08-5 EC number: 614-657-1	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer	10-25%
CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50	m-phenylenebis(methylamine) ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH071	<i>≥</i> 10-<25%
CAS: 61788-44-1 EINECS: 262-975-0 Reg.nr.: 01-2119980970-27	Phenol, styrenated Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-<10%

(Contd. on page 3)



### Safety data sheet

according to 1907/2006/EC, Article 31

Version number 53 (replaces version 52)

Revision: 23.06.2023

### Trade name: Mipa EP 975-25 2K-EP-Härter

(Contd. of page 2)

### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### <sup>•</sup> General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- <sup>•</sup> 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
   6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)



### Safety data sheet

according to 1907/2006/EC, Article 31 Version number 53 (replaces version 52)

Revision: 23.06.2023

Trade name: Mipa EP 975-25 2K-EP-Härter

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.

· Storage class: 8 A

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### • Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 53 (replaces version 52)

Revision: 23.06.2023

(Contd. of page 4)

Trade name: Mipa EP 975-25 2K-EP-Härter

· Eye/face protection



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chen	nical properties		
· General Information			
· Physical state	Fluid		
· Colour:	According to product specification		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.		
· Boiling point or initial boiling point and			
boiling range	205.4 °C (100-51-6 Benzyl alcohol)		
· Flammability	Not applicable.		
· Lower and upper explosion limit			
· Lower:	1.3 Vol %		
	13 Vol %		
· Upper:			
· Flash point:	130 °C (DIN 53213)		
• Auto-ignition temperature:	>300 °C (DIN 51794)		
Decomposition temperature:	Not determined.		
· pH at 20 °C	11		
Viscosity:			
· Kinematic viscosity	Not determined.		
· Dynamic at 20 °C:	200 mPas		
· Solubility			
· water:	Not miscible or difficult to mix.		
<ul> <li>Partition coefficient n-octanol/water (log</li> </ul>			
value)	Not determined.		
· Vapour pressure at 20 °C:	<1 hPa		
· Vapour pressure at 50 °C:	0.7 hPa		
<ul> <li>Density and/or relative density</li> </ul>			
· Density at 20 °C:	1.047 g/cm³ (DIN 53217)		
· Relative density	Not determined.		
· Vapour density	Not determined.		
9.2 Other information			
· Appearance:			
· Form:	Fluid		
· Important information on protection of health			
and environment, and on safety.			
· Ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Solvent content:			
· VOC (EC)	0.00 %		
Solids content (weight-%):	100.0 %		
· Change in condition			
· Evaporation rate	Not determined.		
•			
Information with regard to physical haza	ra		
classes			
· Explosives	Void		
	(Contd. on page 6)		



### Safety data sheet

according to 1907/2006/EC, Article 31 Version number 53 (replaces version 52)

Revision: 23.06.2023

Trade name: Mipa	a EP 975-25 2K-EP-Härter	
------------------	--------------------------	--

		(Contd. of page 5
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1,030 mg/kg (ATE)

- 1,030 mg/kg (rat)
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

61788-44-1 Phenol, styrenated

List II

### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

GB



### Safety data sheet

according to 1907/2006/EC, Article 31 Version number 53 (replaces version 52)

Revision: 23.06.2023

#### \_\_\_\_\_

Trade name: Mipa EP 975-25 2K-EP-Härter

(Contd. of page 6)

#### 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish

#### · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2735
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UN2735 AMINES, LIQUID, CORROSIVE, N.C (ISOPHORONEDIAMINE, phenylenebis(methylamine)) AMINES, LIQUID, CORROSIVE, N.O (ISOPHORONEDIAMINE, phenylenebis(methylamine))
· 14.3 Transport hazard class(es) · ADR	
· Class · Label	8 (C7) Corrosive substances. 8
· IMDG, IATA	
· Class	8 Corrosive substances. 8



### Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 23.06.2023

Printing date 23.06.2023

## Version number 53 (replaces version 52)

	(Contd. of page 7
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
<sup>.</sup> 14.5 Environmental hazards: <sup>.</sup> Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	Warning: Corrosive substances. : 80 F-A,S-B
<ul> <li>Segregation groups</li> <li>Stowage Category</li> <li>Segregation Code</li> </ul>	(SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5L 3 E
· IMDG · Limited quantities (LQ)	5L
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, M- PHENYLENEBIS(METHYLAMINE)), 8, III

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- EUH071 Corrosive to the respiratory tract.
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 9)

<sup>-</sup> GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 53 (replaces version 52)

Revision: 23.06.2023

Trade name: Mipa EP 975-25 2K-EP-Härter

	(Contd. of page 8)
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises danger Concerning the International Transport of Dangerous Goods by Rail)	reuses par chemin de fer (Regulation
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par I the International Carriage of Dangerous Goods by Road)	route (European Agreement Concerning
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard	1 – Category 3
* Data compared to the previous version altered.	