

Printing date 01.02.2023

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 12 (replaces version 11)

Revision: 01.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- **1.4 Emergency telephone number:** International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- [•] Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH208 Contains C(M)IT/MIT (3:1), 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.
- EUH210 Safety data sheet available on request.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 • Dangerous components:
 2-Butoxyethanol
 <2.5%</th>

 CAS: 111-76-2
 2-Butoxyethanol
 <2.5%</td>

 EINECS: 203-905-0
 () Acute Tox. 4, H302; Acute Tox. 4, H332;
 <2.5%</td>

 Reg.nr.: 01-2119475108-36
 Skin Irrit. 2, H315; Eye Irrit. 2, H319
 <2.5%</td>

 ATE: LD50 oral: 1,200 mg/kg
 (Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 12 (replaces version 11)

Revision: 01.02.2023

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

		(Contd. of page
	4-tert-butylbenzoic acid	<0.25%
	 Repr. 1B, H360F; STOT RE 1, H372; Aquatic Chronic 2, H411; Acute Tox. 4, H302 	
CAS: 2634-33-5	1,2-Benzisothiazol-3(2H)-one	<0.05%
Reg.nr.: 01-2120761540-60	 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 % 	
	C(M)IT/MIT (3:1)	<i>≥</i> 0.00025-<0.00159
	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Acute Tox. 1C, H314; Eye Dam. 1, H318; Acute Chronic 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % 	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

GB

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 12 (replaces version 11)

Revision: 01.02.2023

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

(Contd. of page 2)

· 6.4 Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.

• Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-Butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

Ingredients with biological limit values:

111-76-2 2-Butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift

Parameter: butoxyacetic acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB



Professional Coating Systems

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 12 (replaces version 11)

Revision: 01.02.2023

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

(Contd. of page 3)

Breakthrough time of glove material
 The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
 Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chem	nical properties
· General Information	· · · · · · · · · · · · · · · · · · ·
· Physical state	Fluid
· Colour:	According to product specification
Odour:	Characteristic
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	Chaelenninea.
boiling range	100 °C (7732-18-5 water, distilled, conductivity o
bonning range	of similar purity)
· Flammability	Not applicable.
•	
 Lower and upper explosion limit Lower: 	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	400 - (DIN 50044/4)
Kinematic viscosity at 20 °C	120 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
· Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
· Density at 20 °C:	1.103 g/cm³ (DIN EN ISO 2811-1)
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of heal	lth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Solvent content:	, , ,
Water:	56.8 %
· VOC (EC)	5.42 %
· Solids content (weight-%):	37.8 %
· Change in condition	
· Evaporation rate	Not determined.
•	
· Information with regard to physical haza	ra
classes Explosives	Void
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
	(Contd. on page 5



according to 1907/2006/EC, Article 31

Revision: 01.02.2023

Printing date 01.02.2023

Version number 12 (replaces version 11)

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

		(Contd. of page 4
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties
- 68412-54-4 Nonylphenol, branched, ethoxylated

List I

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB



Printing date 01.02.2023

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 12 (replaces version 11)

Revision: 01.02.2023

Trada nama: Mina W/DU 2425 00 W/BS 2K DU I

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

(Contd. of page 5)

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	Νο	
 14.6 Special precautions for user 	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB



according to 1907/2006/EC, Article 31

Revision: 01.02.2023

Printing date 01.02.2023

Version number 12 (replaces version 11)

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

(Contd. of page 6) · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV) 68412-54-4 Nonylphenol, branched, ethoxylated Sunset date: 2021-01-04 · National regulations: · Additional classification according to Decree on Hazardous Materials, Annex II: Share in % Class NK 2.5-<10 • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H360F May damage fertility. H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 (Contd. on page 8) GB



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 01.02.2023

Printing date 01.02.2023

Version number 12 (replaces version 11)

Trade name: Mipa WPU 2425-90 WBS 2K-PU-Decklack

(Contd. of page 7) Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 · * **Data compared to the previous version altered.**

GB