

# PRODUCT RANGE

## 2026/27



**ROSNER**  
professional wood coatings

# TABLE OF CONTENTS

<b>Solvent-based coating systems</b>	<b>3</b>	<b>Oil waxes and Oils</b>	<b>22</b>
Primer	3	<b>Care and cleaning</b>	<b>25</b>
Clearcoats	4	<b>Waxes</b>	<b>25</b>
Pigmented paints	8	<b>Putty and wood cement</b>	<b>26</b>
<b>Marine coatings</b>	<b>10</b>	<b>Polish, matting agents and bleaches</b>	<b>27</b>
<b>Water-based coating systems</b>	<b>12</b>	<b>Additives</b>	<b>28</b>
Primer	12	<b>Hardeners</b>	<b>29</b>
Clearcoats	13	<b>Thinners</b>	<b>30</b>
Pigmented paints	14	<b>Accessories</b>	<b>31</b>
Parquet paints	14	<b>Price group index</b>	<b>32</b>
<b>Water-based stains</b>	<b>16</b>		
<b>Solvent-based stains</b>	<b>18</b>		
<b>Pro Mix® Stains mixing system</b>	<b>20</b>		



Products marked with this symbol can be individually tinted in small quantities with the Pro Mix® tinting system. The products are available in all RAL, NCS and special colours. See price group index on page 31 to assign colour shades to price groups.



## QM Certificate

### DIN EN ISO 9001:2015, DIN EN ISO 14001:2015 and DIN EN ISO 50001:2018

The entire development, production and commercialisation of our products are subject to the European quality norm DIN EN ISO 9001, the environmental management norm DIN EN ISO 14001 and the energy management norm DIN EN ISO 50001.



# ROSNER

## Solvent-based coating systems

### PRIMER

#### DuoCryl Isoliergrund transparent

2K PUR primer with very good barrier effects against wood components and with excellent UV resistance. Its low viscosity allows the product to penetrate quickly and completely into the wood. Fast drying and sanding. Overcoatable with all 2K PUR paints.

**MR: 4 : 1 with DuoCryl Härter**

Item no.	1 l -0010	5 l -0050
R023000	x	x

#### Hochglanzgrund

This high-quality transparent 2K polyurethane primer with outstanding filling properties, high vertical stability and excellent sanding properties has been especially developed to achieve closedgrain surfaces, which are right to be coated with Rosner 2K PUR high-gloss lacquers. Suitable for high-quality refinement of woods used in upscale furniture construction and interior fitting.

**MR: 4 : 1 with DuoCryl Härter**

Item no.	10 l -0100
R1350200	x

#### PUR Isoliergrund weiß

2K PUR filler with high solids content for insulating chipboards and MDF board.

**MR:**

**2 : 1 by volume with DD-Härter 40**

**3 : 1 by weight with DD-Härter 40**

Item no.	7,5 kg -0075	30 kg -0300
R0108000	x	x

PRIMER

**Isolierfüller Rapid**

The pigmented 2K PUR express filler provides a very fast drying, high filling power and very good insulating effects. Thanks to its perfect gloss retention, it is ideal for coloured high-gloss surfaces. Difficult to ignite according to DIN 4102-B1.

**MR:**  
**10 : 1 by volume with DuoCryl Härter**  
**16 : 1 by weight with DuoCryl Härter**

		1 l -0010	5 l -0050	20 l -0200
White	R025000	x	x	x
Black	R026000		x	x

2K CLEARCOATS

**Rocket**

Innovative 2K multi-layer clearcoat based on a new binder technology that provides highest filling power and brilliant depth effect. Developed for high-quality refinement of woods used in upscale furniture construction and interior fitting as well as for piano coating. The special drying at room temperature reduces the throughput times significantly. This product combines massive savings in processing with highest surface quality. Difficult to ignite according to DIN 4102-B1 and EN 13501-1.

**MR: 1 : 1 with Rocket Härter**



Gloss degree	Item no.	5 l -0050
high-gloss	R1290010	x

**RoCryl HS**

2K High-Solid PUR clearcoat with excellent light fastness and filling power as well as high solid content. Especially suitable for high-quality and particularly resistant coatings. Ready for polishing and buffing after only 16 h. Difficult to ignite according to DIN 4102-B1.

**MR: 2 : 1 with DuoCryl Härter**

Gloss degree	Item no.	5 l -0050
G90 high-gloss	R1280010	x
45 / G10 very matt	R1280030	x

**DuoCryl Top**

This 2K PUR clearcoat provides a very high light fastness, good filling power, good flow and fast drying. Perfect for a very resistant refinishing of woods or coloured coatings used for upscale furniture and interior fitting. Difficult to ignite according to DIN 4102-B1.

**MR: 10 : 1 with DuoCryl Härter**



Gloss degree	Item no.	5 l -0050	25 l -0250
1 / G90 high-gloss	R1261230	x	
3 / G60 satin gloss	R1261300	x	
34 / G30 semi-matt	R1261310	x	
4 / G20 matt	R1261320	x	x
45 / G10 very matt	R126133	x	x
5 / G05 dull matt	R1261250	x	x

**DuoCryl Expert**

2K-PUR paint with very good lightfastness, perfect flow and optimum sandability. For the resistant finishing of woods and surfaces of coloured varnishes in the upmarket furniture sector and interior design. Difficult to ignite according to DIN 4102-B1.

**MR: 10 : 1 with DuoCryl Härter**

Gloss degree	Item no.	5 l -0050	25 l -0250
G30 / semi-matt	R1263060		x
G20 / matt	R1263070	x	x
G10 / very matt	R1263080	x	x
G05 / dull matt	R1263090	x	x

### DuoCryl Profi

2K PUR clearcoat that provides fast drying, good light fastness and vertical stability. Perfectly suitable for a very resistant refinement of woods that are used for furniture construction and in the contract sector.

Difficult to ignite according to DIN 4102-B1.

**MR: 10 : 1 with DuoCryl Härter**

Gloss degree	Item no.	5 l -0050	25 l -0250
3 / G60 satin gloss	R1261350	x	
34 / G30 semi-matt	R1261360	x	x
4 / G20 matt	R1261370	x	x
45 / G10 very matt	R1261380	x	x
5 / G05 dull matt	R1261240	x	x

### MiraCryl A

2K PUR paint that provides good sandability and very good lightfastness. For a durable refinement of woods and surfaces of coloured varnishes used for furniture and interior fittings.

**MD: 10 : 1 with DuoCryl Härter**

Gloss degree	Item no.	5 l -0050	25 l -0250
G20 / matt	R1360170	x	x
G10 / very matt	R1360180	x	x
G05 / dull matt	R1360190	x	x

### DuoCryl HF

Very fast drying 2K PUR clearcoat with high filling properties and very good light fastness. Suitable for a resistant refinement of woods used for upscale furniture construction and interior fitting as well as for the contract sector. Difficult to ignite according to DIN 4102-B1.

**MR: 10 : 1 with DuoCryl Härter**

Gloss degree	Item no.	5 l -0050	25 l -0250
4 / G20 matt	R1261420	x	x
45 / G10 very matt	R1261430		x

### Natureffekt

The 2K PUR clearcoat is especially suited to coat blond wood. The natural appearance and haptic properties of untreated wood is preserved. Difficult to ignite according to DIN 4102-B1.

**MR: 10 : 1 with DuoCryl Härter**

Item no.	5 l -0050	25 l -0250
R1261490	x	x

### Natureffekt Duro

This 2K PUR clearcoat is extremely scratch resistant with an uniform matting effect without blushing. Suitable for light and dark woods or substrates, which are used for upscale furniture construction and interior fitting.

**MR: 10 : 1 with DuoCryl Härter**

Item no.	5 l -0050	25 l -0250
R1261498	x	x

### RoBust softmatt

Fast drying two-component polyurethane topcoat with excellent scratch resistance, velvety feel and ultra-matt surface.

It hides very well fingerprints and allows a painting result without mottling even on dark substrates. For the resistant finishing of already primed woods and surfaces of coloured varnishes in the upmarket furniture sector and interior design.

**MR: 10 : 1 with DuoCryl Härter**

Item no.	5 l -0050	25 l -0250
R1360695	x	x <small>-discontinued item-</small>

1K CLEARCOATS

**EIKO**

1K acid-curing clearcoat which can be used as primer as well as topcoat. For efficient wood refinement of furniture and interior fitting.

**NC-Mehrschichtlack**

Multi-layer clearcoat to achieve an open-grain coating on furniture parts. It can be applied by spraying or curtain coater and used as priming or finishing coat. For efficient wood refinement of furniture and interior fitting.

**1K-Multisiegel** NEW

Universal, aromatic-free, colourless 1K multi-layer varnish with high solid content for parquet, wooden floors, stairs and furniture made of hard and soft wood. For interior and exterior use. Excellent adhesion with easy sandability. High stability, scratch-resistant, light-resistant, good water and alcohol resistance. Decopaint-compliant (Cat. A/i: 500 g/l; VOC < 500 g/l)

Gloss degree	Item no.	1 l -0010	5 l -0050	25 l -0250
1 / G90 high-gloss	R1140010	x	x	
3 / G60 satin gloss	R1140030	x	x	
4 / G20 matt	R1140040	x	x	x
45 / G10 very matt	R1140100			x
5 / G05 dull matt	R1140050	x	x	

Gloss degree	Item no.	25 l -0250
1 / G90 high-gloss	R1150010	x
34 / G30 semi-matt	R1150030	x
4 / G20 matt	R1150034	x
45 / G10 very matt	R1150045	x
5 / G05 dull matt	R1150090	x

Gloss degree	Item no.	1 l -0010	5 l -0050
G30 / semi-matt	R1160260	x	x
G20 / matt	R1160270	x	x
G10 / very matt	R1160280	x	x



1K-Multisiegel

**Areas of application:**

- Furniture
- Parquet and wooden flooring
- Stairs
- Doors
- Interior fittings
- Outdoor furniture

**Characteristics:**

- High solid content
- High stability
- Scratch-resistant
- Lightfast
- Excellent adhesion with easy sandability
- Good water and alcohol resistance
- Easy application by spraying, brushing, rolling
- For interior and exterior use
- Decopaint-compliant



**ROSNER**  
professional wood coatings



**ROSNER**

## Iron mica Design



### Effective with maximum durability

Designer surfaces with striking appearance and the highest quality: **Rosner Farbtonfächer Eisenglimmer Design** comprises 16 effect colours with an elegant, matt character, based on DB Eisenglimmer colors. The resulting colors create the typical iron mica look on smooth surfaces. The addition of Pro Mix® Structure Additives PE60 also creates a tactile 3D effect.

#### Application areas:

- Stair stringers
- Kitchen fronts
- Furniture fronts
- Other designs
- Suitable for selected solvent-based Rosner colour paint bases, such as RoCryl HS Color, RoCryl Flex Color or RoCryl Color
- Other custom colors available on request

**RoCryl HS Color**

High-Solid 2K PUR paint with excellent light fastness and filling power as well as high solids content. Especially suitable for high-quality and particularly resistant coatings. Polishable and buffable after only 16 h. Tintable with the colour pastes **RoCryl Color Farbkonzentrate** according to RAL, NCS or many other colour charts. In combination with RoCryl Glashärter it is also suitable for direct application on glass. Difficult to ignite according to DIN 4102-B1.

**MR:**

**3 : 1 with DuoCryl Härter**

**3 : 1 with RoCryl Glashärter**



**RoCryl Flex Color**

High-quality, ring-resistant 2K-PUR multi-layer coating with high solid content for coating stressed furniture parts, bathroom, kitchen and office furniture. Serves as a primer and topcoat in one system. Can be tinted with **RoCryl Color Farbkonzentrate** according to RAL, NCS and many other colour ranges. Difficult to ignite according to DIN 4102-B1.

**MR: 2 : 1 with DD-Härter 45**



Transparent base	Item no.	0,75 kg -0010	3,75 kg -0050
G90 high-gloss	R1281500	x	x
45 / G10 very matt	R1283500	x	x
Special colours	Item no.	1 kg -0010	5 kg -0050
Price group A	R4620300	x	x
G90 high-gloss	R4620310	x	x
Price group B	R4620310	x	x
G90 high-gloss	R4620320	x	x
Price group C	R4620320	x	x
G90 high-gloss			
Price group A	R4620500	x	x
45 / G10 very matt	R4620510	x	x
Price group B	R4620510	x	x
45 / G10 very matt	R4620520	x	x
Price group C	R4620520	x	x
45 / G10 very matt			

Please see price group index on page 32

Transparent base	Item no.	0,75 kg -0010	3,75 kg -0050	18,75 kg -0250
G90 high-gloss	R1301500		x -discontinued item-	
45 / G10 very matt	R1303500	x	x	x
White base	Item no.	0,9 kg -0010	4,5 kg -0050	22,5 kg -0250
G90 high-gloss	R1301520		x -discontinued item-	
45 / G10 very matt	R1303520	x	x	x
Ready-mixed colours	Item no.			25 l -0250
RAL 9010	R1303900			x
45 / G10 very matt				
RAL 9016	R1303910			x
45 / G10 very matt				
Special colours	Item no.	1 kg -0010	5 kg -0050	25 kg -0250
Price group A	R4650300		x -discontinued item-	
G90 high-gloss	R4650310		x -discontinued item-	
Price group B	R4650310		x -discontinued item-	
G90 high-gloss	R4650320		x -discontinued item-	
Price group C	R4650320		x -discontinued item-	
G90 high-gloss				
Price group A	R4650500	x	x	x
45 / G10 very matt	R4650510	x	x	x
Price group B	R4650510	x	x	x
45 / G10 very matt	R4650520	x	x	x
Price group C	R4650520	x	x	x
45 / G10 very matt				

Please see price group index on page 32

### RoCryl Color

Ring-resistant 2K-PUR lacquer with fast drying for a coloured, textured or sanding lacquer finish. Suitable for both coarse-pored woods and MDF boards coated with Rosner PUR Isoliergrund weiß or Rosner Isolierfüller Rapid. Can be tinted with **RoCryl Color Farbkonzentraten** according to RAL, NCS and many other colour ranges. Suitable for direct coating on glass in combination with RoCryl Glashärter. Difficult to ignite according to EN 13501-1 and DIN 4102-B1.

**MR:**

**10 : 1 with DuoCryl Härter**

**10 : 1 with RoCryl Glashärter**



<b>Transparent base</b>	<b>Item no.</b>	<b>0,8 kg -0010</b>	<b>4 kg -0050</b>	<b>20 kg -0250</b>
45 / G10 very matt	R1261500	x	x	x

<b>White base</b>	<b>Item no.</b>	<b>0,9 kg -0010</b>	<b>4,5 kg -0050</b>	<b>22,5 kg -0250</b>
45 / G10 very matt	R1261510	x	x	x

<b>Ready-mixed colours</b>	<b>Item no.</b>	<b>1 l -0010</b>	<b>5 l -0050</b>	<b>25 l -0250</b>
RAL 9010 45 / G10 very matt	R1261900	x	x	x
RAL 9016 45 / G10 very matt	R1261910	x	x	x

Metallic effect RAL 9006 / 9007 corresponds to price group B.

<b>Special colours</b>	<b>Item no.</b>	<b>1 kg -0010</b>	<b>5 kg -0050</b>	<b>25 kg -0250</b>
Price group A 45 / G10 very matt	R4590300	x	x	x
Price group B 45 / G10 very matt	R4590310	x	x	x
Price group C 45 / G10 very matt	R4590320	x	x	x

Please see price group index on page 32




# ROSNER

## Marine coatings

**Premium quality 2K PUR and PU-acrylic systems of the latest generation provide excellent UV, weather and scratch resistance.**

- Marine coatings of low flammability according to SOLAS 74/88
- tested according to IMO-FTP-Code, Annex 1 Part 5 and IMO MSC/Circ. 1120
- EC-Type Examination Certificate (Module B) according to EU-directive 2014/90/EU and 96/98/EG
- U.S. Coast Guard Approval



## PRIMER

### Isolierfüller Marine

White 2K PUR express filler for filling and insulating MDF and solid wood. Approved for ship coatings on indoor furniture and decoration. Ideal to achieve coloured high-gloss surfaces thanks to its good gloss retention.

**MR:**

**10 : 1 by volume with DuoCryl Härter**

**16 : 1 by weight with DuoCryl Härter**



	Item no.	5 l -0050
White	R120000	x

**Rocket**

Innovative 2K multi-layer clearcoat based on a new binder technology that provides highest filling power and brilliant depth effect. Developed for high-quality refinement of woods used in upscale furniture construction and interior fitting as well as for piano coating. The special drying at room temperature reduces the throughput times significantly. This product combines massive savings in processing with highest surface quality. Difficult to ignite according to DIN 4102-B1 and EN 13501-1. Rocket is approved to IMO: flame retardant coating for vessels.

**MR: 1 : 1 with Rocket Härter**

**RoCryl HS Marine**

Fast-drying 2K PUR High-Solids clearcoat for clear coatings on closed-grain surfaces of ship interiors. It is characterised by an excellent UV and weather resistance.

**MR: 2 : 1 with DuoCryl Härter**



Gloss degree	Item no.	5 l -0050
high-gloss	R1290010	x

Gloss degree	Item no.	5 l -0050
G90 high-gloss	R1210010	x
45 / G10 very matt	R1210030	x

## PIGMENTED VARNISHES

**RoCryl HS Marine Color**

2K PUR High-Solids paint for coloured coatings on closed-grain surfaces of ship interiors. It provides an excellent UV and weather resistance as well as fast drying. Applicable directly on wood or on MDF boards which are primed with Rosner Isolierfüller Marine.

**MR: 3 : 1 with DuoCryl Härter**

**Pro  
mix**



Special colours	Item no.	1 kg -0010	5 kg -0050
Price group A G90 high-gloss	R4630300	x	x
Price group B G90 high-gloss	R4630310	x	x
Price group C G90 high-gloss	R4630320	x	x
Price group A 45 / G10 very matt	R4630500	x	x
Price group B 45 / G10 very matt	R4630510	x	x
Price group C 45 / G10 very matt	R4630520	x	x

Please see price group index on page 32

**RoCryl Marine Color**

2K PUR paint with excellent light fastness for coloured, metal marking-resistant coatings on open-grain surfaces of ship interiors. Applicable directly on wood or on MDF boards which are primed with Rosner Isolierfüller Marine.

**MR: 10 : 1 with DuoCryl Härter**

**Pro  
mix**



Ready-mixed colours	Item no.	1 l -0010	5 l -0050	25 l -0250
RAL 9010 45 / G10 very matt	R1231900	x	x	x
RAL 9016 45 / G10 very matt	R1231910	x	x	x

Special colours	Item no.	1 kg -0010	5 kg -0050	25 kg -0250
Price group A 45 / G10 very matt	R4640500	x	x	x
Price group B 45 / G10 very matt	R4640510	x	x	x
Price group C 45 / G10 very matt	R4640520	x	x	x

Please see price group index on page 32



# ROSNER

## HydRo Coating Systems

### PRIMER

#### HydRo Füller 1K/2K

Fast-drying primer for a coating system similar to flatting varnish with very good sanding and filling properties. Suitable substrates are solid wood, MDF boards as well as with primer or lacquer foil coated MDF or chipboards. To achieve a higher chemical and mechanical resistance, use this primer as a 2K product.

**MR: 20 : 1 with HydRo Härter**

Colour	Item no.	1 l -0010	5 l -0050
White	R1980580	x	x
Black	R1980590		x

#### HydRo Isolierfüller Plus

Pigmented, waterborne 1K filler that features very fast drying, excellent sanding properties and outstanding barrier effect against wood components. Suitable substrates are solid wood, MDF boards as well as with primer or lacquer foil coated chipboards and MDF boards and woods that are rich in active substances like e.g. oak or ash.

Colour	Item no.	5 kg -0050	25 kg -0250
White	R1980610	x	x

### HydRo Möbellack Plus 1K/2K

NMP-free water-based 1K or 2K multi-layer coating of the latest generation. Fast drying and through-drying, early sandability and block resistance, high chemical and physical resistance. Good wood accentuation. For the resistant finishing of highly stressed woods in upmarket furniture and interior finishing. Through a 2K processing achieves higher mechanical strength and chemical resistance. Suitable for direct coating on glass in combination with HydRo glass additive.

Flame retardant according to DIN 4102-B1.

**MR: 20 : 1 with HydRo Härter**



Gloss degree	Item no.	10 l -0100
G20 / matt	R4401070	x
G10 / very matt	R4401080	x
G05 / dull matt	R4401090	x

### HydRo Natureffekt

NMP-free 1K or 2K multi-layer clearcoat with fast drying, low fibre rise and early sanding properties for a resistant refinement of woods that are used for furniture construction and upscale interior fitting. The natural look of untreated wood is preserved. To increase the resistance to mechanical stress and to chemical agents, apply it as a 2K clearcoat.

**MR: 20 : 1 with HydRo Härter**

Item no.	1 l -0010	10 l -0100	25 l -0250
R1980200	x	x	x

### HydRo Plast PU

NMP-free one-component multi-layer clearcoat with self-crosslinking properties, fast drying, very good lightfastness, good grain enhancement and easy processing. For the resistant finish of woods used for furniture and interior finishing as well as in the commercial and public sector and especially staircase construction. Suitable for brushing and rolling. Listed in Baubook Austria.

Gloss degree	Item no.	1 l -0010	5 l -0050	25 l -0250
G30 / semi-matt	R1900660	x	x	x
G10 / very matt	R1900680	x	x	x
G05 / dull matt	R1900690	x	x	x

### HydRo Plast Vario

NMP-free, easy-to-apply single-component multi-layer clearcoat with very fast drying, good UV resistance and good grain enhancement. For the resistant finish of woods used in furniture and interior design, as well as in the commercial and public sector. Also suitable for stairs. Suitable for brushing and rolling.

Gloss degree	Item no.	25 l -0250
G20 / matt	R1900970	x
G10 / very matt	R1900980	x

PIGMENTED PAINTS

**HydRo Color Plus**

NMP-free, waterborne 1K or 2K paint system of the newest generation to obtain a coloured, texture accentuating coating or one similar to flattening varnish. Fast drying, early sandability with high chemical and physical resistance. Suitable both on MDF boards coated with HydRo Füller 1K/2K and on common fine and coarse pored type of wood. For the resistant finishing of stressed woods in the upmarket furniture sector and interior design. An application as 2K-product ensures higher resistance to mechanical stress and chemical agents. Difficult to ignite according to DIN 4102-B1. Suitable for direct coating on glass in combination with HydRo glass additive. Difficult to ignite according to DIN 4102-B1.

**MR: 20:1 with HydRo Härter**



NEU!

Transparent base	Item no.	0,75 kg -0010	3,75 kg -0050	18,75 kg -0250
G20 / matt	R1937500	x	x	x

Special colours	Item no.	1 kg -0010	5 kg -0050	25 kg -0250
Price group A G20 / matt	R1910140	x	x	x
Price group B G20 / matt	R1910141	x	x	x
Price group C G20 / matt	R1910142	x	x	x

**RoAqua Strichlack**

Dispersion-based 1K lacquer to create a dragged paint effect for an individual design of special furniture surfaces. The high viscosity allows patterning the topcoat by dragging a long-bristled brush over the already primed or with **HydRo Color Plus** coated surface. NMP-free.

Colour	Item no.	1 l -0010
White	R1981010	x

Special colour on demand.

PARQUET PAINTS

**HydRo Parkett Plus**

NMP-free 1K or 2K parquet varnish for highly stressed indoor parquet, wood floors or stairs. Can be used also as primer and topcoat even on common exotic woods. Applicable by roller or spatula. Chemical and mechanical resistance can be increased if applied as 2K clearcoat.

**MR: 10 : 1 with HydRo Härter**

Gloss degree	Item no.	1 l -0010	5 l -0050	10 l -0100
34 / G30 semi-matt	R1900020	x	x	x
45 / G10 very matt	R1900110	x	x	x

**HydRo Parkettpflege**

For cleaning and care as well as reducing signs of wear on sealed parquet and wooden surfaces. Also suitable for PVC, linoleum and stone floors. Slip-resistant and non-slip. Not suitable for oiled and waxed surfaces. NMP-free.

Item no.	1 l -0010
R8001050	x

# MIXING TABLE



A trademark of  
**MIPA SE**  
 Am Oberen Moos 1 · D-84051 Essenbach  
 Tel.: +49 8703 92 20 · Fax: +49 8703 92 21 00  
 E-Mail: info@rosner-coatings.com  
 www.rosner-coatings.com

## Solvent-based coating systems

Primers	MR	Hardener	Pot life <sup>1)</sup>	Thinner	Gravity spray gun
DuoCryl Isoliergrund transparent	4:1	DuoCryl Härter	6 – 8 h	–	1,4 – 1,8 mm
Hochglanzgrund	4:1	DuoCryl Härter	approx. 2 h	DD-Verdünnung Nr. 20	1,8 – 2,5 mm
PUR-Isoliergrund weiß	2:1 3:1	DD-Härter 40 by volume DD-Härter 40 by weight	approx. 1 h	DD-Verdünnung Nr. 20/Nr. 25	1,8 – 2,5 mm
Isolierfüller Rapid	10:1 16:1	DuoCryl Härter by volume DuoCryl Härter by weight	approx. 2 h	DD-Verdünnung Nr. 20/Nr. 25	1,8 – 2,5 mm
<b>Clearcoats</b>					
Rocket	1:1	Rocket Härter	15 – 20 min.	DD-Verdünnung Nr. 20	1,2 – 1,4 mm
RoCryl HS	2:1	DuoCryl Härter	approx. 2 h	DD-Verdünnung Nr. 20/Nr. 25	1,6 – 2,2 mm
DuoCryl Top	10:1	DuoCryl Härter	max. 24 h	DD-Verdünnung Nr. 20/Nr. 25	1,8 – 2,0 mm
DuoCryl Expert	10:1	DuoCryl Härter	max. 24 h	DD-Verdünnung Nr. 20/Nr. 25	1,5 – 1,8 mm
DuoCryl Profi	10:1	DuoCryl Härter	max. 24 h	DD-Verdünnung Nr. 20/Nr. 25	1,5 – 1,8 mm
MiraCryl A	10:1	DuoCryl Härter	max. 8 h	DD-Verdünnung Nr. 20/Nr. 25	1,8 – 2,0 mm
DuoCryl HF	10:1	DuoCryl Härter	max. 8 h	DD-Verdünnung Nr. 20/Nr. 25	1,8 – 2,0 mm
Natureffekt	10:1	DuoCryl Härter	max. 8 h	DD-Verdünnung Nr. 20/Nr. 25	1,6 – 2,0 mm
Natureffekt Duro	10:1	DuoCryl Härter	max. 8 h	DD-Verdünnung Nr. 20/Nr. 25	1,6 – 2,0 mm
RoBust softmatt	10:1	DuoCryl Härter	max. 3 h	DD-Verdünnung Nr. 20	1,6 – 2,0 mm
EIKO	–	–	–	Verdünnung Nr. 2	1,8 – 2,0 mm
NC-Mehrschichtlack	–	–	–	Verdünnung Nr. 2	1,8 – 2,0 mm
1K-Multisiegel	–	–	–	DD-Verdünnung Nr. 20	1,8 – 2,0 mm
<b>Pigmented paints</b>					
RoCryl HS Color	3:1	DuoCryl Härter/RoCryl Glashärter	2 – 3 h	DD-Verdünnung Nr. 20/Nr. 25	1,6 – 2,2 mm
RoCryl Flex Color	2:1	DD-Härter 45	approx. 2 h	DD-Verdünnung Nr. 20/Nr. 25	1,4 – 1,8 mm
RoCryl Color	10:1	DuoCryl Härter/RoCryl Glashärter	max. 8 h	DD-Verdünnung Nr. 20/Nr. 25	1,6 – 2,0 mm

## Water-based coating systems

Primers	MR	Hardener	Pot life <sup>1)</sup>	Thinner	Gravity spray gun
HydRo Füller 1K/2K	20:1	HydRo Härter by weight <sup>2)</sup>	max. 2 h	Water	2,0 – 2,3 mm
HydRo Isolierfüller Plus	–	–	–	Water	2,0 – 2,3 mm
<b>Clearcoats</b>					
HydRo Möbellack Plus 1K/2K	20:1	HydRo Härter <sup>2)</sup>	max. 4 h	Water	1,7 – 2,0 mm
HydRo Natureffekt	20:1	HydRo Härter <sup>2)</sup>	max. 1 h	Water	1,6 – 1,8 mm
HydRo Plast PU	–	–	–	Water	1,8 – 2,0 mm
HydRo Plast Vario	–	–	–	Water	1,8 – 2,0 mm
HydRo Parkett Plus	10:1	HydRo Härter <sup>2)</sup>	max. 4 h	Water	1,6 – 2,0 mm
<b>Pigmented paints</b>					
HydRo Color Plus	20:1	HydRo Härter <sup>2)</sup>	max. 4 h	Water	1,7 – 2,0 mm
RoAqua Strichlack	–	–	–	Water	

<sup>1)</sup> The pot life and curing time depend on the prevailing humidity and temperature (data for 20°C/65% relative humidity).

<sup>2)</sup> Hardener can be used optionally.

Please always consider the technical data sheet.



# ROSNER

Stains - Effective. Easy.

## WATER-BASED STAINS

### Wachsbeize

Wax-stain is an emulsion of natural waxes in water with aqueous ammonia as emulsifying agent. With the exception of Wachsbeize R121 transparent all other colours contain natural mineral colours and partly dye extracts. This positive stain gives velvety and satin matt surface to coniferous wood and is perfectly suitable for finishing carvings, souvenirs, wooden ceiling, decorations and alpine style furniture. All shades are intermixable. Use Schutzwachs MWF or Schutzwachs Super 85 as topcoat. It is not suitable for application on furniture exposed to high chemical and mechanical stress.

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
R121 (transparent)	R3530010	x		
R027 Chalk	R3530040	x	x	x
R117 Grey blue	R3537010	x		
R118 Canvas	R3530020	x	x	x
R125 Antique grey	R3537020	x		
R126 Honey	R3532020	x		
R128 Sand beige	R3538010	x		x <small>-discontinued item-</small>
R131 Copper brown	R3538020	x		
R133 Terra	R3538030	x		
R134 Coffee	R3538040	x		
R138 Nature	R3538050	x	x	x
R169 Light amber	R3532030	x		
R179 Dark amber	R3532060	x		
R182 Chestnut	R3538070	x		
R200 Shell white	R3531020	x		
SWF 300 White	R3531030	x	x	
90180 Black	R3538400	x		
Special colours	R35400000	x	x	x

### Positiv Holzeffekt Beize

This positive effect wood stain contains natural and synthetic dyestuffs and is designed for coniferous wood. Stabilizing anti-fading agents and especially effect-enhancing additives produce an impressive positive stain effect. The positive effect is revealed during the drying process and the final colour appears only after overcoating. All shades are intermixable.

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
01 Transparent	R3800010	x		
02 Papyrus	R3800020	x	x	
03 Sand	R3800030	x	x	
04 Corn	R3800040	x		
05 Cinnamon	R3800050	x	x	
06 Clear honey	R3800060	x		
07 Dark honey	R3800070	x		
08 Hazel	R3800080	x		
09 Turf	R3800090	x		
10 Steel	R3800100	x		
11 Slate	R3800110	x		
12 Glacier	R3800120	x		
13 Creme white	R3800130	x	x	
14 (7412)	R3800140	x		
15 (83100)	R3800150	x		
16 (R138) natur	R3800160	x		
Special colours	R38100000	x	x	x

### KKB

A combination of dyestuffs and additives to enhance the wood texture. KKB Beize can be applied to all common hardwoods like e.g. oak, beech or ash. All shades are intermixable.

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
Transparent	R3510010	x		
34 Clay	R3518041	x		
35 Dark oak	R3513040	x		
78367 Black	R3519011	x	x	
79116 Light oak	R3518171	x		
M3 Red brown	R3513111	x		
P6 Chestnut	R3518101	x		
P9 Mocha	R3518121	x		
P10 Tobacco	R3518131	x		
P17 Curry	R3512041	x		
Cappuccino	R3511820	x		
Cognac	R3511830	x		
Maroon	R3511870	x		
Arctic	R3511900	x		
Walnut	R3511950	x		
Special colours	R35200000	x	x	x

### Pigmentbeize

This stain is a suspension of micronized pigments and additives, which facilitate the special wetting and penetration in blond hardwoods and softwoods. Pigmentbeize has a highly covering and levelling effect. Can also be used to stain deals and parquet flooring. All shades are intermixable.

Farbton	Item no.	1 l -0010	5 l -0050	25 l -0250
89118 Transparent	R3080010	x		
88480 Red	R3083010	x		
88481 Yellow	R3082030	x		
88490 Blue	R3085010	x		
88491 Black	R3089010	x		
88505 Green	R3086020	x		
89040 Orange	R3083020	x		
89250 Pebble	R3086010	x		
89252 Granite	R3087010	x		
89253 Slate	R3087040	x		
89254 Sand	R3082020	x		
89256 White	R3081010	x	x	
89259 Creme	R3082010	x		
03121 Super white	R3081020	x	x	
Special colours	R30900000	x	x	x

## WATER-BASED STAINS

**Metallic Beize**

Special stain with metallic effect combined with lightfast micronized pigments to create impressive surfaces on furniture and interior fittings. Especially suitable for coarse-grain woods like ash and oak. All shades are intermixable.

Colour	Item no.	1 l -0010
Alu	R3070010	x
Silver	R3070020	x
Stainless	R3070030	x
Steel	R3070040	x
Rust	R3070050	x
Bronze	R3070060	x
Iron	R3070070	x
Copper	R3070080	x

**Aqua Kalkpaste weiß**

Dispersion of white pigments and binders in a mixture of water and alcohol. The material remains in the pores or grains of coarse-grain hardwoods or textured softwoods due to the special adjustment.

Colour	Item no.	1 l -0010
White	R4080060	x

## SOLVENT-BASED STAINS

**LM Spritzbeize**

This spray stain is a combination of dyes and additives in organic solvent and provides a levelling effect on deciduous and coniferous woods. A short drying time makes it perfect for economic application. All colours can be mixed with each other.

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
SB Transparent	R3978620	x		
SB 6300 Hemp	R3978500	x		
SB 6303 Whisky	R3978510	x		
SB 6301 Cedar	R3978520	x		
SB 6302 Rustic oak	R3978530	x		
SB 6304 Umbra	R3978540	x		
SB 6305 Walnut	R3978550	x		
SB 6306 Red brown	R3978560	x		
SB 6307 Tobacco	R3978570	x		
SB 6308 Mahogany brown	R3978580	x		
SB 6309 Mahogany red	R3978590	x		
SB 6310 Black	R3978600	x		
SB 6311 White (02060)	R3970020	x		
Special colours	R39800000	x	x	x

**Patina**

Patina is a solution of dyes with good light fastness in organic solvents and a special binder to patinate already primed or stained wood surfaces and profiles. It can also be used for 1K or 2K lacquers. Suitable for colour adjustments with levelling effect.

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
Transparent	R4680000	x		
300 White	R4681010	x		
302 Cherry tree	R4683010	x		
305 Pear	R4683040	x		
306 Teak	R4688010	x		
308 Chestnut	R4688030	x		
309 Walnut	R4688040	x		
312 Black	R4689010	x		
314 Clear walnut	R4688060	x		
315 Clear oak	R4688070	x		
Special colours	R46900000	x	x	x



## ROSNER STAINS MIXING SYSTEM

for different types of wood

Wood type	Wachs-beize	Positiv Holzeffekt-beize	KKB Beize	Pigment-beize	Metallic Beize	LM Spritzbeize	Aqua Kalkpaste
<b>Conifers</b>							
Douglas fir	++	++	o	+	o	o	o
Spruce	++	++	o	+	o	o	o
Pine	++	++	o	+	o	o	o
Larch	++	++	o	+	o	o	o
Fir	++	++	o	+	o	o	o
Swiss stone pine	++	++	o	+	o	o	o
<b>Hardwoods</b>							
Maple	-	o	++	++	o	++	o
Acacia	-	o	++	o	o	++	o
Birch	-	o	++	++	o	++	o
Pear tree	-	o	++	+	o	++	o
Beech	-	o	++	++	o	++	o
Oak	-	o	++	++	++	++	++
Alder	-	o	++	++	o	++	o
Ash	-	o	++	++	++	++	++
Eucalyptus	-	o	++	o	o	++	o
Hickory	-	o	++	o	o	++	o
Cherry tree	-	o	++	+	o	++	o
Walnut	-	o	++	o	o	++	o
Poplar	-	o	++	++	o	++	o
<b>Exotic woods</b>							
Mahogany	-	o	++	o	o	++	-
Rosewood	-	o	++	-	-	+	-
Teak	-	o	++	-	-	+	-
Wenge	-	o	+	-	-	+	-
<b>Grasses</b>							
Bamboo	-	-	++	++	o	++	o

++ highly suitable + well suited o suitable - not suitable

Stain colours may differ from the wood samples shown. This depends on the type of wood, the amount applied and the number of coats. Please read the technical data sheet before each application and apply a colour sample to the desired wood in advance.

# ROSNER

## Pro Mix® Stains - Stain mixing system

### The solution for the professional

- Tailored to needs and requirements
- Exact and individual colour shades
- Flexible and accurate reproducibility of colour shades
- Fast availability
- 11 different qualities from one system
- Almost unlimited variety of colour shades



Item no.: 249410008

## PRO MIX® STAINS MIXING SYSTEM

### Pro Mix® Stain Beizen Basen

The combination of Pro Mix® Stains Beizen Tönkonzentraten (tinter) with various Pro Mix® Stains Beizen Basen (stains) results in a wide range of individual shades and effects.

Colour	Item no.	5 l -0050	25 l -0250
Wachsbeize	R340050	x	x
Positiv Holzeffektbeize	R340100	x	x
Natureffekt PS Beize	R340150	x	x
Aqua Rustikal Beize	R340200	x	x
Edelholz Beize	R340250	x	x
KKB Beize	R340300	x	x
RoAqua Laubholzbeize	R340350	x	x
Pigmentbeize	R340400	x	x
LM Spritzbeize	R340450	x	x
Rustikal Lackbeize	R340500	x	x
Patina	R340520	x	x

## PRO MIX® STAINS MIXING SYSTEM

### Pro Mix® Stain WP Beizen Tönkonzentrat

Concentrated pigment for adjusting the colour of water-based stains. Use in Pro Mix® Stains mixing system.

Colour	Item no.	1 l -0010
422 WP Red	777010422	x
462 WP White	777010462	x
464 WP Titanium white	777010464	x
592 WP Marron	777010592	x
607 WP Solid yellow	777010607	x
608 WP Brilliant yellow	777010608	x
634 WP Blue	777010634	x
662 WP Yellow-orange	777010662	x
682 WP Green	777010682	x
704 WP Solid orange	777010704	x
955 WP Black	777010955	x

### Pro Mix® Stain WR Beizen Tönkonzentrat

Reactive concentrate for adjusting the colour of water-based positive stains. Use in Pro Mix® Stains mixing system.

Colour	Item no.	1 l -0010
407 WR Blue	777010407	x
408 WR Brilliant red	777010408	x
609 WR Yellow	777010609	x
611 WR Brilliant yellow	777010611	x
702 WR Orange	777010702	x
705 WR Brilliant orange	777010705	x
805 WR Brown	777010805	x
807 WR Dark brown	777010807	x
956 WR Black	777010956	x

### Pro Mix® Stain WLF Beizen Tönkonzentrat

Colour concentrate to adjust the colour of water-based and solvent-based stains. Use in Pro Mix® Stains mixing system.

Colour	Item no.	1 l -0010
421 WLF Red	777010421	x
591 WLF Bordeaux	777010591	x
605 WLF Yellow	777010605	x
631 WLF Blue	777010631	x
700 WLF Orange	777010700	x
800 WLF Brown	777010800	x
951 WLF Black	777010951	x

### Pro Mix® Stain LP Beizen Tönkonzentrat

Concentrated pigment for adjusting the colour of solvent-based stains. Use in Pro Mix® Stains mixing system.

Colour	Item no.	1 l -0010
405 LP Brilliant red	777010405	x
406 LP Red	777010406	x
461 LP White	777010461	x
633 LP Blue	777010633	x
661 LP Yellow-orange	777010661	x
683 LP Green	777010683	x
801 LP Brown	777010801	x
954 LP Black	777010954	x



# ROSNER

## Oil waxes and oils

### OIL WAXES AND OILS

#### NaturExpert Terrassenöl

Based on renewable raw materials, this premium wood protection for indoor and outdoor use offers a good UV protection. Water repellent and breathable. Because of its very high penetration depth, it is especially suited for terraces, garden furniture, decking, window shutters, balconies, fences or privacy screens. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160. Applied as 2K product, a higherchemical and mechanical resistance can be achieved.

**MR: 10 : 1 with NaturExpert Öl-Härter**

#### NaturExpert Lärchenöl

Based on vegetable oils and resins, this product offers a good impregnation depth and UV protection. Free from biocidal agents and with nice grain enhancement. Suitable for all kind of woods in the protected outdoor area. Weathering generates a natural greying effect. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160.

Colour	Item no.	1 l -0010	5 l -0050
Transparent	R834200	x	x
Teak	R834210	x	

Colour	Item no.	1 l -0010	5 l -0050
Nature	R834019	x	x

### NaturExpert Hartöl

Based on vegetable oils and natural raw materials, this product is characterized by its high penetration depth, fast drying, good grain enhancement and permeability for a durable finish of woods used for furniture and in the contract sector. Also suitable for floors and stairs. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160. **Not self-igniting.** Applied as 2K product, a higher chemical and mechanical resistance can be achieved.

**MR: 10 : 1 with NaturExpert Öl-Härter**

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
Transparent	R834126	x	x	x
White	R834017	x		

### NaturExpert HydRo Holzöl

Water-based and mild in odour, this wood oil features a good impregnation depth and protection against UV to give a durable finish to wooden components used in interior or protected outdoor areas e.g. terraces, pergola, wood floors, wood balconies, etc. Also suitable for common exotic woods. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160. **Not self-igniting.**

Item no.	1 l -0010	3 l -0030
R834122	x	x

### NaturExpert Hartwachssiegel

Low-viscosity hard oil-wax combination based on oils, fatty acids and waxes. It penetrates well the treated wood and provides a water-repellent, abrasion-resistant and mechanical stress-resistant surface with a velvety matt finish. Resistant to saliva and perspiration according to DIN 53160. **Not self-igniting.**

Item no.	1 l -0010	5 l -0050	25 l -0250
R834120	x	x	x

### NaturExpert Hartwachsöl MonoProtect

Solvent-free 1K/2K hard oil wax made mainly of renewable raw materials. High resistance to yellowing, seamless repair combined with high spreading rate. For highly stressed surfaces of interior fittings and in staircase construction. All colour shades are intermixable, so that many individual colour shades can be achieved. A higher resistance to mechanical stress and chemicals is achieved when applied as a 2-component finish. Tested according to BS EN 71-3. Resistant to saliva and perspiration according to DIN 53160. Slip resistance R 10 according to DIN EN 16165:2023-02

**MR: 3 : 1 with NaturExpert Öl-Härter MonoProtect**

Colour	Item no.	0,3 l -0003	0,9 l -0009
HWM 001 Natural	R83600001	x	x
HWM 710 Pebble	R83600710	x	
HWM 740 Slate	R83600740	x	
HWM 780 Graphite	R83600780	x	
HWM 810 Chestnut	R83600810	x	
HWM 840 Teak	R83600840	x	
HWM 870 Maroon	R83600870	x	
HWM 880 Mocha	R83600880	x	
HWM 900 Arctic	R83600900	x	
HWM 950 Walnut	R83600950	x	

**NaturExpert Hartwachsöl Extra**

Hard oil-wax-combination based on vegetable oils, waxes and essential oils. Especially suitable to achieve a refinement resistant against wine, beer, cola, coffee, tea, fruit juice, milk and water in accordance with DIN 68861-1A. Also suitable for floors and stairs. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160.

**Not self-igniting.**

**NaturExpert Hartwachsöl**

Based on vegetable oils, hard wax components and natural raw materials, this product provides a gentle grain enhancement, fast drying and permeability. For a durable finish of woods used in furniture construction and in the contract sector, that are exposed to high mechanical stress. Also suitable for floors and stairs. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160. **Not self-igniting.** Applied as 2K product, a higher chemical and mechanical resistance can be achieved.

**MR: 10 : 1 with NaturExpert Öl-Härter**

**NaturExpert Hartwachs**

Based on vegetable hard wax components and natural raw materials, this pasty-like product offers a short drying time and permeability. For a durable finish of woods used in furniture construction and commercial furniture, that are exposed to high mechanical stress. Also suitable for floors and stairs. Tested according to DIN EN 71-3. Resistant to saliva and perspiration according to DIN 53160. **Not self-igniting.**

**NaturExpert RoHolzwachs**

Extremely low-odour, sprayable wax based on natural and plant-based raw materials for an even, natural matt result with a raw wood finish and good water resistance. Tested according to DIN EN 71-3. Sweat and saliva resistant according to DIN 53160.

**Not self-igniting.**

**NaturExpert Tönkonzentrat**

NaturExpert Tönkonzentrate are colour concentrates for shading NaturExpert products except HydRo Holzöl and HydRo Wachsöl. All concentrates are intermixable in every possible mixing ratio.

**Not self-igniting.**

NEW!

Item no.	1 l -0010	3 l -0030	25 l -0250
R834023	x	x	x

Item no.	1 l -0010	5 l -0050
R834118	x	x

Item no.	1 l -0010
R834024	x

Item no.	5 l -0050
R4080250	x

Colour	Item no.	0,25 l -0003
Ebenholz	R834035	x
White	R834036	x
Kastanie	R834037	x
Nussbaum	R834038	x
Red	R834039	x
Yellow	R834041	x
Blue	R834042	x

### NaturExpert Holzpflegeöl

Based on vegetable oils, this product offers optimal surface care of oiled and waxed surfaces. It removes water and alcohol spots. Scratches can be levelled.

**Not self-igniting.**

Item no.	0,5 l -0005	1 l -0010
R834114	x	x

### NaturExpert Wischpflege

This floor cleaning and care product contains cleaning and caring ingredients and is self-glossy and dirt-repellent. It consists of biodegradable surfactants and is used to clean and to preserve waxed and oiled floors.

**Not self-igniting.**

Item no.	1 l -0010
R834051	x

### NaturExpert Holzentgrauer

For cleaning and refreshing of greying wooden terraces and facades. Odourless and bio-degradable.

**Not self-igniting.**

Item no.	1 l -0010
R834060	x

### NaturExpert Ölverdünnung

Can be used for thinning oils or for cleaning the used equipment.

Item no.	1 l -0010
R2000500	x

### NaturExpert Pflegeset

Practical care set for oiled and waxed surfaces consisting of

- 1x NaturExpert Holzpflegeöl  
spray bottle 0,5l
- 1x NaturExpert Wischpflege 250ml
- 1x pair of gloves  
MP Nitrilhandschuhe Hi-Risk
- 3x care cloths
- 1x care instruction

Item no.	Set -0000
R834110	x

### Schutzwachs MWF

Schutzwachs MWF is a suspension of waxes in solvents. It can be used for applications on light and light-stained textured surfaces of furniture and interior decoration that have been treated with Wachsbeize. Do not apply to surfaces exposed to high stress. Splash proof! **Not self-igniting.**

Colour	Item no.	1 l -0010
Transparent	R4870080	x

### Schutzwachs Super 85

It is an emulsion of waxes in water, which can be used for all kind of soft- and hardwood for wood furnishings and interior decoration, which are exposed to low stress. Less suitable for dark wood or rich in active substances. Can also be used as topcoat for Wachsbeize. Waterproof according to DIN 68861-1C.

**Not self-igniting.**

Colour	Item no.	1 l -0010	5 l -0050	25 l -0250
Transparent	R3880020	x	x	x
White	R3889010	x		



# ROSNER

## Putty / Wood cement

### PUTTY / WOOD CEMENT

#### 2K Transparentspachtel

Transparent, particularly easy to sand, polyester resin-based 2K putty for repairing or filling cracks and knotholes. Tintable for use as design filler.

**Incl. hardener**

**MR: 100 : 2 with Härter P weiß**

Item no.	1 l -0010
R7000100	x

#### 2K Color Spachtel

Pigmented, particularly easy to sand, polyester resin-based 2K putty with very good filling properties and low shrinkage for repairing and filling cracks and knotholes.

**Incl. hardener**

**MR: 100 : 2 with Härter P weiß**

Colour	Item no.	1 l -0010
RAL 9005	R7000210	x

### 2K EP Gießharz

Crystal-clear, transparent and solvent-free epoxy resin for casting, embedding, moulds or fillings, such as rivertables with particularly high transparency and very good UV resistance. Suitable for all common materials such as wood, GRP, glass or stone.

**MR: 2.2 : 1 by weight with 2K EP Härter.**

Item no.	0,55 kg -0006	4,4 kg -0044
R7000300	x	x

### HydRo Fugenkitt

NMP-free, colourless binder base for wood grinding dust with high solids content and good pore-filling properties. Mixed with abrasive dust to a pasty material, HydRo Fugenkitt is used to seal parquet joints and is easy to spread with a knife.

Item no.	1 l -0010
R8001100	x

POLISH / MATTING AGENTS / BLEACHES

### Schellackpolitur

French polish applied by polish rubber for high-gloss shellac surfaces. It can be applied directly on untreated wood or used as finishing treatment on shellac-coated surfaces.

Item no.	1 l -0010
R4080010	x

### Schellackmattierung

Pad-applied matting agent for silk-gloss shellac surfaces. Suitable for direct application on bare wood or for the post-treatment of shellac-coated surfaces.

Colour	Item no.	1 l -0010
Blond	R4080050	x

### Wasserstoffperoxid 35%

Highly concentrated. In combination with Rosner Bleichzusatz suitable for bleaching or brightening woods like maple, ash, walnut, beech, cherry or birch. Observe technical data sheet.

**MR: 4 : 1 with Rosner Bleichzusatz**

Only for professional use!

Item no.	1 l -0010	5 l -0050
R723007	x	x

### Bleichzusatz

In combination with Rosner Wasserstoffperoxid 35% it is suitable for bleaching or brightening of woods. Rosner Bleichzusatz assures that after the bleaching process no hydrogen peroxide remains in the wood. Observe technical data sheet.

**MR: 1 : 4**

**with Rosner Wasserstoffperoxide**

Item no.	1 l -0010
R4010010	x

## Antikrater-Lösung

To prevent pin holing on wood surfaces, which are contaminated with oil or silicone residues.

**MR: 1 – 2 % to base lacquer**

**Item no.** **1 l**  
**-0010**

R4000020	x
----------	---

## Velourzusatz

Additive to create effect coatings for furniture and interior fittings. Rosner Velourzusatz gives a coarse to fine texture to surfaces and can be combined with all solvent-based or water-based Rosner paint systems.

**Grit** **Item no.** **1 kg**  
**-0010**

Fine	R801634	x
------	---------	---

Standard	R801635	x
----------	---------	---

Coarse	R801636	x
--------	---------	---

## RoCryl Lichtschutzadditiv

For higher lightfastness of solventbased coatings.

**MR: 5 – 10 % to the base coat**

**Item no.** **1 l**  
**-0010**

R4000060	x
----------	---

## Glasprimer

Colourless 1K adhesion promoter for glass surfaces. Changes the polarity of the glass surface and thus improves the adhesion of subsequent coatings with Rosner 2K PUR paints to glass surfaces.

**Item no.** **1 l**  
**-0010**

R4000080	x
----------	---

## HydRo Glasadditiv

Additive for HydRo Color Plus and HydRo Möbellack Plus 1K/2K for coating on glass.

**Item no.** **0,5 l**  
**-0005**

R4000530	x
----------	---

**Rocket Härter**

	<b>Item no.</b>	<b>1 l -0010</b>	<b>5 l -0050</b>
	R1270030	x	x

**DuoCryl Härter**

	<b>Item no.</b>	<b>0,5 l -0005</b>	<b>1 l -0010</b>	<b>2,5 l -0025</b>	<b>5 l -0050</b>
fast	R1270090			x	
normal	R1270040	x	x	x	x
slow	R1270080			x	

**DD-Härter 40**

	<b>Item no.</b>	<b>2,5 l -0025</b>	<b>10 l -0100</b>
	R1270300	x	x

**DD-Härter 45**

	<b>Item no.</b>	<b>0,5 l -0005</b>	<b>2,5 l -0025</b>	<b>10 l -0100</b>
	R1270350	x	x	x

**HydRo Härter**

	<b>Item no.</b>	<b>0,5 l -0005</b>	<b>1 l -0010</b>
	R1970510	x	x

**RoCryl Glashärter**

	<b>Item no.</b>	<b>0,5 l -0005</b>
	R1270900	x

**NaturExpert Öl-Härter**

	<b>Item no.</b>	<b>0,5 l -0005</b>
	R1271100	x

**NaturExpert Öl-Härter  
Monoprotect**

	<b>Item no.</b>	<b>0,1 l -0001</b>	<b>0,3 l -0003</b>
	R1271110	x	x

**2K EP Härter**

	<b>Item no.</b>	<b>0,25 kg -0003</b>	<b>2 kg -0020</b>
slow	R1270800	x	x

# THINNERS

## DD-Verdünnung Nr. 15 kurz

Fast thinner for 2K PUR paints.

Item no.	1 l -0010
R2000150	x

## DD-Verdünnung Nr. 20

Standard thinner for 2K PUR paints.

Item no.	1 l -0010	5 l -0050	25 l -0250
R2000080	x	x	x

## DD-Verdünnung Nr. 25 lang (Verzögerer)

Used as drying retarder for 2K PUR varnishes or as thinner to adjust 2K PUR lacquers for curtain coating.

Item no.	1 l -0010	5 l -0050
R2000160	x	x

## Verdünnung Nr. 2

Universal thinner for all Rosner nitro-, nitro-combi- and acid-curing lacquers.

Item no.	1 l -0010	5 l -0050	25 l -0250
R2000040	x	x	x

## Waschlöser Nr. 52

Thinner that can be used to clean equipment or to deresinify woods rich in active substances as well as to remove old Rosner nitro-, nitro-combi- and acid-curing coatings.

Item no.	5 l -0050	25 l -0250
R2000100	x	x

## PUG

To be used for cleaning brushes, tools and spraying equipment.

Item no.	25 l -0250
R2000020	x

## Industrie-Waschverdünnung

Can be used for cleaning tools and spraying equipment.

Item no.	25 l -0250
R2000180	x

**Don't miss any news!**  
Follow our new social media channel!



@rosnercoatings



**Fertigtonetiketten**

Labels for RoCryl HS Color, RoCryl Color,  
RoCryl Flex Color

on demand

**Fertigtonetiketten**

Labels for HydRo Color Plus

on demand

**Fertigtonetiketten**

Labels for stains

on demand

**Pro Mix® Color Reader Rosner****Item no.**

99697320648

x

**Rosner Farbtonfächer RAL**

(RAL colour chart)

**Item no.**

952010648

x

**Rosner Farbtonfächer Eisenglimmer Design**

**NEW!**

(Iron mica Design colour chart)

**Item no.**

R001000-0000

x

**Rosner Info-Ordner leer**

(empty information folder)

**Item no.**

953340648

x

**Beizkarte (stain chart)  
Metallic Beize****Item no.**

R001101-0000

x

**Beizkarte (stain chart)  
KKB****Item no.**

R001104-0010

x

**-NEW-** digital printing R001104-0020

x

**Beizkarte (stain chart)  
Pigmentbeize****Item no.**

R001109-0010

x

**-NEW-** digital printing R001109-0020

x

**Beizkarte (stain chart)  
Wachsbeize****Item no.**

R001110-0010

x

**-NEW-** digital printing R001110-0020

x

**Beizkarte (stain chart)  
LM Spritzbeize****Item no.**

R001112-0000

x

**-NEW-** digital printing R001112-0020

x

**Beizkarte (stain chart)  
Positiv Holzeffekt Beize****Item no.**

R001120-0010

x

**-NEW-** digital printing R001120-0020

x

**Beizkarte (stain chart)  
Druck Patina****Item no.**

R001136-0000

x

## PRICE GROUP INDEX

### PRICE GROUP A

RAL 1000	RAL 5010	RAL 6013	RAL 7006	RAL 7036	RAL 8014
RAL 1001	RAL 5011	RAL 6015	RAL 7008	RAL 7037	RAL 8015
RAL 1002	RAL 5012	RAL 6016	RAL 7009	RAL 7038	RAL 8016
RAL 1011	RAL 5014	RAL 6019	RAL 7010	RAL 7039	RAL 8019
RAL 1013	RAL 5015	RAL 6020	RAL 7011	RAL 7040	RAL 8024
RAL 1014	RAL 5017	RAL 6021	RAL 7012	RAL 7042	RAL 8025
RAL 1015	RAL 5018	RAL 6025	RAL 7013	RAL 7043	RAL 8028
RAL 1019	RAL 5020	RAL 6026	RAL 7015	RAL 7044	RAL 9001
RAL 1020	RAL 5021	RAL 6027	RAL 7016	RAL 7045	RAL 9002
RAL 1024	RAL 5023	RAL 6028	RAL 7021	RAL 7046	RAL 9003
RAL 3009	RAL 5024	RAL 6032	RAL 7022	RAL 7047	RAL 9004
RAL 3015	RAL 6000	RAL 6033	RAL 7024	RAL 8000	RAL 9005
RAL 4009	RAL 6001	RAL 6034	RAL 7026	RAL 8001	RAL 9010
RAL 5001	RAL 6003	RAL 7000	RAL 7030	RAL 8002	RAL 9011
RAL 5004	RAL 6005	RAL 7001	RAL 7031	RAL 8004	RAL 9016
RAL 5005	RAL 6006	RAL 7002	RAL 7032	RAL 8007	RAL 9018
RAL 5007	RAL 6009	RAL 7003	RAL 7033	RAL 8008	
RAL 5008	RAL 6011	RAL 7004	RAL 7034	RAL 8011	
RAL 5009	RAL 6012	RAL 7005	RAL 7035	RAL 8012	

### PRICE GROUP B

RAL 1003	RAL 1023	RAL 3012	RAL 4003	RAL 6004	RAL 8017
RAL 1004	RAL 1027	RAL 3013	RAL 4005	RAL 6007	RAL 8022
RAL 1005	RAL 1032	RAL 3014	RAL 4008	RAL 6008	RAL 9004
RAL 1006	RAL 1033	RAL 3016	RAL 5000	RAL 6010	RAL 9006
RAL 1007	RAL 1034	RAL 3017	RAL 5002	RAL 6017	RAL 9007
RAL 1012	RAL 2001	RAL 3018	RAL 5003	RAL 6018	RAL 9017
RAL 1017	RAL 2003	RAL 3022	RAL 5013	RAL 6022	
RAL 1018	RAL 2010	RAL 4001	RAL 5019	RAL 6024	
RAL 1021	RAL 3007	RAL 4002	RAL 6002	RAL 8003	

### PRICE GROUP C

RAL 2000	RAL 2009	RAL 3001	RAL 3005	RAL 3031	RAL 5022
RAL 2002	RAL 2011	RAL 3002	RAL 3011	RAL 4004	RAL 6014
RAL 2004	RAL 2012	RAL 3003	RAL 3020	RAL 4006	RAL 8023
RAL 2008	RAL 3000	RAL 3004	RAL 3027	RAL 4007	



# Allgemeine Lieferungs- und Zahlungsbedingungen

## der Lackindustrie in der vom Bundeskartellamt zum 01. Januar 2018 genehmigten Empfehlung

### I. Geltungsbereich

1. Unsere nachstehenden Lieferungs- und Zahlungsbedingungen sind nur für die Anwendung gegenüber Unternehmen, juristischen Personen des öffentlichen Rechts oder öffentlich-rechtlichen Sondervermögen im Sinne von § 310 Abs. 1 BGB bestimmt. Gegenüber Verbrauchern finden sie keine Anwendung.
2. Unsere Lieferungs- und Zahlungsbedingungen gelten ausschließlich. Entgegenstehende oder von unseren Lieferungs- und Zahlungsbedingungen abweichende Bedingungen des Käufers werden nicht Vertragsinhalt, es sei denn, wir hätten ausdrücklich schriftlich ihrer Geltung zugestimmt. Unsere Angebote sind freibleibend, falls nicht ausdrücklich etwas anderes vereinbart wird.
3. Nebenabreden, Änderungen und Abweichungen von diesen Bedingungen sollen schriftlich vereinbart werden.

### II. Preise

1. Die vereinbarten Preise gelten zuzüglich der am Lieferfertag geltenden gesetzlichen Mehrwertsteuer.
2. Für die Berechnung sind die von uns ermittelten Gewichte, Stückzahlen und Mengen maßgebend, wenn der Käufer nicht unverzüglich nach Ablieferung widerspricht.

### III. Anwendungstechnische Beratung

1. Soweit wir Beratungsleistungen erbringen, geschieht dies nach bestem Wissen und ist unverbindlich. Alle Angaben und Auskünfte über Eignung und Anwendung der gelieferten Waren befreien den Käufer nicht von eigenen Prüfungen und Versuchen. Dies gilt insbesondere, wenn Verdünnungen, Härter, Zusatzlacke oder sonstige Komponenten beigemischt werden, die nicht von uns bezogen wurden.

### IV. Lieferung

1. Der Käufer hat die Ware zum vereinbarten Liefertermin oder, falls ein Liefertermin nicht verbindlich vereinbart wurde, unverzüglich nach Mitteilung der Bereitstellung am Erfüllungsort gem. Abs. IX. 1 abzuholen. Gerät der Käufer mit der Annahme der Ware in Verzug, sind wir berechtigt, sie nach eigener Wahl auf Kosten des Käufers zu versenden oder – sofern nicht anders möglich, notfalls auch im Freien – zu lagern. Wir haften in diesem Fall nicht für den zufälligen Untergang, den Verlust oder eine Beschädigung der Waren. Wird die Ware durch uns gelagert, sind wir berechtigt, die Ware nach Ablauf einer Woche nach Eintritt des Annahmeverzuges in Rechnung zu stellen und Zahlung zu verlangen.
2. Sofern abweichend von Abs. 1 vereinbart ist, dass wir zur Versendung der Ware verpflichtet sind, erfolgen der Transport auf Kosten des Käufers und die Wahl der Transportmittel sowie des Transportweges nach unserem Ermessen, es sei denn, der Käufer hat uns hierzu eine besondere Anweisung erteilt. Die Gefahr geht in dem Zeitpunkt über, in dem die Ware von uns dem Frachtführer übergeben wird.
3. Dem Käufer zumutbare Teillieferungen sind zulässig.
4. Erhebliche, unvorhersehbare sowie von uns nicht verschuldete Betriebsstörungen, Lieferfristenüberschreitungen oder Lieferausfälle von unseren Lieferanten sowie z.B. Betriebsunterbrechungen aufgrund von Rohstoff-, Energie- oder Arbeitskräftemangel, Streiks, Aussparungen, Schwierigkeiten bei der Transportmittelbeschaffung, Verkehrsstörungen, behördliche Verfügungen oder Fälle höherer Gewalt bei uns und unseren Unterlieferanten verlängern die Lieferzeit um die Dauer des Leistungshindernisses, soweit sie für die Lieferfähigkeit der Ware von Bedeutung sind. Beginn und Ende derartiger Hindernisse teilen wir dem Käufer unverzüglich mit. Wird hierdurch die Lieferung um mehr als einen Monat verzögert, sind sowohl der Käufer als auch wir unter Ausschluss von Schadenersatzansprüchen berechtigt, hinsichtlich der von der Lieferstörung betroffenen Menge vom Vertrag zurückzutreten. Das gesetzliche Rücktrittsrecht des Käufers für den Fall der Lieferstörung aufgrund eines von uns vertretenen Umstands bleibt unberührt.
5. Erfolgt die Lieferung in Leihbehältern, so sind diese innerhalb von 90 Tagen nach Empfang der Lieferung restentleert und frachtfrei zurückzusenden. Verlust und Beschädigung einer Leihverpackung geht zu Lasten des Käufers, wenn dies von ihm zu vertreten ist. Leihverpackungen dürfen nicht anderen Zwecken oder zur Aufnahme anderer Produkte dienen. Sie sind lediglich für den Transport der gelieferten Ware bestimmt. Beschriftungen dürfen nicht entfernt werden.
6. Einwegverpackungen werden nicht von uns zurückgenommen. Stattdessen nennen wir dem Käufer einen Dritten, der die Verpackungen entsprechend der gesetzlichen und behördlichen Bestimmungen einem Recycling zuführt.

### V. Zahlung

1. Der Rechnungsbetrag ist sofort nach Zugang der Rechnung fällig und ohne Abzug zu zahlen. Rechtzeitige Zahlung ist nur dann erfolgt, wenn wir über das Geld mit Wertstellung am Fälligkeitstag auf dem von uns angegebenen Konto verfügen können.
2. Bei Zahlungsverzug sind vom Käufer Verzugszinsen in Höhe von 9 % über dem jeweiligen Basiszinssatz zu zahlen.
3. Die Hergabe von Wechseln ist keine Barzahlung und nur mit unserer vorherigen Zustimmung zahlungshalber zulässig. Diskont- und Wechselspesen gehen zu Lasten des Käufers.
4. Zurückbehaltung und Aufrechnung durch den Käufer sind ausgeschlossen, es sei denn, die zur Ausübung des Zurückbehaltungsrechts oder zur Aufrechnung gestellte Forderung ist unbestritten, rechtskräftig festgestellt oder entstammt demselben Vertragsverhältnis.
5. Die Nichtbezahlung fälliger Rechnungen oder andere Umstände, welche auf eine wesentliche Verschlechterung der Vermögensverhältnisse des Käufers nach Vertragsabschluss schließen lassen, berechtigen zur sofortigen Fälligkeitstellung aller unserer Forderungen, die auf demselben Rechtsverhältnis beruhen.

### VI. Eigentumsvorbehalt

1. Wir behalten uns das Eigentum am Liefergegenstand bis zur vollständigen Bezahlung des Kaufpreises vor. Bis zur Erfüllung aller Forderungen aus der laufenden Geschäftsverbindung mit dem Käufer bleiben die gelieferten Waren unser Eigentum. Der Eigentumsvorbehalt bleibt auch dann bestehen, wenn einzelne unserer Forderungen in laufende Rechnung aufgenommen sind und der Saldo gezogen und anerkannt ist. Kaufpreisforderungen gelten trotz Zahlung solange als nicht erloschen, als eine von uns in diesem Zusammenhang übernommene wechselseitige Haftung – wie zum Beispiel im Rahmen eines Scheck-Wechsel-Verfahrens – fortbesteht.
2. Eine Verarbeitung oder Vermischung nimmt der Käufer für uns vor, ohne dass hieraus für uns eine Verbindlichkeit entsteht. Für den Fall der Verarbeitung oder Vermischung mit anderen, uns nicht gehörenden Sachen, überträgt der Käufer schon jetzt zur Sicherung unserer Forderungen auf uns das Miteigentum an der neuen Sache im Verhältnis des Wertes der Vorbehaltsware zu den anderen verarbeiteten Sachen mit der Maßgabe, dass der Käufer die neue Sache für uns verwahrt.

3. Der Käufer ist berechtigt, über die Erzeugnisse im ordentlichen Geschäftsgang zu verfügen, solange er seinen Verpflichtungen aus der Geschäftsbeziehung mit uns rechtzeitig nachkommt.
4. Forderungen aus dem Verkauf von Waren, an denen uns Eigentumsrechte zustehen, tritt der Käufer schon jetzt im Umfang unseres Eigentumsanteils an den verkauften Waren zur Sicherung an uns ab. Verbindet oder vermischt der Käufer die gelieferte Ware entgeltlich mit einer Hauptsache Dritter, so tritt er bereits jetzt seine Vergütungsansprüche gegen den Dritten bis zur Höhe des Rechnungswertes der gelieferten Ware zur Sicherung an uns ab. Wir nehmen diese Abtretungen an.
5. Auf unser Verlangen hat uns der Käufer alle erforderlichen Auskünfte über den Bestand der in unserem Eigentum stehenden Waren und über die an uns abgetretenen Forderungen zu geben, sowie seine Abnehmer von der Abtretung in Kenntnis zu setzen.
6. Der Käufer ist verpflichtet, die Vorbehaltsware sorgfältig zu verwahren und auf eigene Kosten gegen Abhandenkommen und Beschädigung zu versichern. Er tritt seine Ansprüche aus den Versicherungsverträgen hierdurch im Voraus an uns ab. Wir nehmen diese Abtretungen an.
7. Übersteigt der Wert der Sicherheiten unsere Forderungen um mehr als 20 v.H., so werden wir auf Verlangen des Käufers insoweit Sicherheiten nach unserer Wahl freigeben.
8. Das Recht des Käufers zur Verfügung über die unter unserem Eigentumsvorbehalt stehenden Erzeugnisse sowie zur Einziehung der uns abgetretenen Forderungen erlischt, sobald er die Zahlung einstellt und/oder in Vermögensverfall gerät. Treten diese Voraussetzungen ein, sind wir berechtigt, unter Ausschluss des Zurückbehaltungsrechts ohne Nachfristsetzung oder Ausübung des Rücktritts die sofortige einstufige Herausgabe der gesamten unter unserem Eigentumsvorbehalt stehenden Waren zu verlangen.
9. Soweit der Eigentumsvorbehalt nach dem Recht des Landes, in dem sich die gelieferte Ware befindet, nicht wirksam sein sollte, hat der Käufer auf unser Verlangen eine gleichwertige Sicherheit zu bestellen. Kommt er diesem Verlangen nicht nach, können wir ohne Rücksicht auf vereinbarte Zahlungsziele sofortige Bezahlung sämtlicher offenen Rechnungen verlangen.

### VII. Mängelansprüche

1. Der Käufer hat die Ware unverzüglich nach deren Empfang auf Mängel zu untersuchen.
2. Mängel sind unverzüglich nach Empfang schriftlich anzuzeigen, es sei denn, dass es sich um einen Mangel handelt, der bei der Untersuchung nicht erkennbar war. Zeigt sich später ein solcher Mangel, ist er ebenfalls unverzüglich anzuzeigen. Die Anzeige muss schriftlich erfolgen und hat Art und Ausmaß des Mangels genau zu bezeichnen.
3. Der Käufer ist verpflichtet, uns unverzüglich zu informieren und uns die Möglichkeit der sofortigen Untersuchung zu geben, wenn er Mängel an den von uns gelieferten Produkten geltend machen will.
4. Bei der Nacherfüllung sind wir nach unserer Wahl zu Mängelbeseitigung oder Ersatzlieferung berechtigt.
5. Im Falle der Mängelbeseitigung tragen wir alle zu diesem Zweck erforderlichen Aufwendungen, soweit sich diese nicht dadurch erhöhen, dass die Kaufsache nach einem anderen Ort als dem Erfüllungsort verbraucht wurde.
6. Für den Ersatz von Mangelfolgeschäden haften wir nur, wenn wir für die Entstehung des Mangels durch vorsätzliches oder grob fahrlässiges Verhalten (mit)verantwortlich sind.
7. Sind wir zur Mängelbeseitigung bzw. Ersatzlieferung nicht bereit oder nicht in der Lage oder verzögert sich diese über angemessene Fristen hinaus aus Gründen, die wir zu vertreten haben oder schlägt ansonsten die Mängelbeseitigung bzw. Ersatzlieferung fehl, so ist der Käufer nach seiner Wahl berechtigt, die Rückgängigmachung des Vertrages oder eine entsprechende Herabsetzung des Kaufpreises zu verlangen.
8. Im Falle des Unternehmerrückgriffs (§ 445a BGB) wird vermutet, dass zum Zeitpunkt des Gefahübergangs auf den Käufer Mängel nicht vorhanden waren, wenn der Käufer nach Abs. VII. 2. (Satz 1) pflichtgemäß untersucht, jedoch keine Mängel angezeigt hat, es sei denn, diese Vermutung ist mit der Art der Sache oder des Mangels unvereinbar.
9. Macht der Käufer Rückgriffsansprüche geltend, muss er sich uns gegenüber so behandeln lassen, als habe er alle gesetzlich zulässigen vertragsrechtlichen Möglichkeiten gegenüber seinem Vertragspartner (z.B. Verweigerung der Nacherfüllung wegen Unverhältnismäßigkeit oder Beschränkung des Aufwendungsersatzes auf einen angemessenen Betrag) umgesetzt.
10. Wir sind berechtigt, Rückgriffsansprüche des Käufers mit Ausnahme der Ansprüche auf Neulieferung der Ware abzulehnen, sofern wir dem Käufer für den Ausschluss seiner Rechte einen gleichwertigen Ausgleich einräumen. Für den Ersatz von Mangelfolgeschäden haften wir nur, wenn wir für die Entstehung des Mangels durch vorsätzliches oder grob fahrlässiges Verhalten (mit)verantwortlich sind.
11. Ansprüche des Käufers auf Schadensersatz sind ausgeschlossen, ohne dass ein Ausgleich einzuräumen ist, es sei denn, uns fällt Vorsatz oder grobe Fahrlässigkeit zur Last.

### VIII. Haftung

1. Soweit nichts Abweichendes vereinbart wurde, sind alle weitergehenden Ersatzansprüche des Käufers gegen uns und unsere Angestellten, Arbeitnehmer, Mitarbeiter, Vertreter und Erfüllungsgehilfen ausgeschlossen, insbesondere ein Anspruch auf Ersatz von Schäden, die nicht an den gelieferten Waren selbst entstanden sind.
2. Die in der vorangegangenen Ziff. 1. und im Übrigen in diesen Lieferungs- und Zahlungsbedingungen enthaltenen Haftungsbegrenzungen und -ausschlüsse gelten nicht, soweit in Fällen des Vorsatzes, der groben Fahrlässigkeit, der Verletzung von Leben, Körper und Gesundheit, oder infolge einer übernommenen Beschaffenheits- oder Haltbarkeitsgarantie oder nach den Vorschriften insbesondere des Produkthaftungsgesetzes eine Haftung unsererseits zwingend vorgeschrieben ist. Das gleiche gilt im Falle einer Pflichtverletzung unsererseits, die die Erreichung des Vertragszwecks gefährdet, wobei unsere Haftung jedoch auf den Ersatz der typischen, vorhersehbaren Schäden beschränkt ist.

### IX. Erfüllungsort, Gerichtsstand und Sonstiges

1. Erfüllungsort für alle Verbindlichkeiten aus der Geschäftsverbindung oder aus dem Einzelvertrag ist unsere jeweilige Versandstelle, für die Zahlung unser Sitz.
2. Gerichtsstand ist nach unserer Wahl unser Sitz oder der allgemeine Gerichtsstand des Käufers. Dies gilt auch für Streitigkeiten im Urkunden-, Wechsel- oder Scheckprozess. Der Käufer ist verpflichtet, uns mit einer angemessenen Fristsetzung zur Ausübung unseres Wahlrechts aufzufordern.
3. Auf die Vertragsbeziehungen mit unseren Kunden ist ausschließlich das Recht der Bundesrepublik Deutschland anwendbar. Die Anwendbarkeit des UN-Kaufrechts ist ausgeschlossen.
4. Daten des Käufers werden von uns nur insofern sowie im Einklang mit den einschlägigen gesetzlichen Bestimmungen gespeichert und verarbeitet, soweit dies zur ordnungsgemäßen Abwicklung der vertraglichen Beziehungen erforderlich ist.



# NON-PAINTS WOOD WORKING

PRODUKTE / PRODUCTS 2026



Follow us on:



A trademark of

**MIPA SE**  
Am Oberen Moos 1  
D-84051 Essenbach

Tel.: +49 8703 92 20  
Fax: +49 8703 92 21 00

E-Mail: [info@rosner-coatings.com](mailto:info@rosner-coatings.com)  
[www.rosner-coatings.com](http://www.rosner-coatings.com)