

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *Mipa 2K-HS-Härter HS 45 extra lang*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Hardening agent/ Curing agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MIPA SE  
Am Oberen Moos 1  
D-84051 Essenbach  
Tel.: +49 8703 92 20  
Fax.: +49 8703 92 21 00  
e-mail: [sdb-registratur@mipa-paints.com](mailto:sdb-registratur@mipa-paints.com)  
[www.mipa-paints.com](http://www.mipa-paints.com)
- **1.4 Emergency telephone number:** International emergency number: +49(0)700 24112112 (MIP)

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226      Flammable liquid and vapour.



GHS08 health hazard

Repr. 2      H361      Suspected of damaging fertility or the unborn child.



GHS07

Acute Tox. 4      H332      Harmful if inhaled.

Skin Sens. 1      H317      May cause an allergic skin reaction.

STOT SE 3      H335-H336      May cause respiratory irritation. May cause drowsiness or dizziness.

Aquatic Chronic 3      H412      Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** *Warning*
- **Hazard-determining components of labelling:**  
*Hexamethylene diisocyanate, oligomers*

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 1)

5-Methylhexan-2-one

Hydrocarbons, C9, aromatics

Hexamethylene-di-isocyanate

**Hazard statements**

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

**Additional information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH204 Contains isocyanates. May produce an allergic reaction.

Restricted to professional users.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

|                                                                      |                                                                                                                                                                                                                                                                                             |          |
|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| CAS: 28182-81-2<br>EC number: 931-274-8<br>Reg.nr.: 01-2119485796-17 | Hexamethylene diisocyanate, oligomers<br>⚠ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335, EUH204                                                                                                                                                                                  | 50-100%  |
| CAS: 64742-95-6<br>EC number: 918-668-5<br>Reg.nr.: 01-2119455851-35 | Hydrocarbons, C9, aromatics<br>⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H335-H336, EUH066                                                                                                                                                         | ≥10-<25% |
| CAS: 110-12-3<br>EINECS: 203-737-8<br>Reg.nr.: 01-2119472300-51      | 5-Methylhexan-2-one<br>⚠ Flam. Liq. 3, H226; ⚠ Repr. 2, H361; ⚠ Acute Tox. 4, H332                                                                                                                                                                                                          | 10-25%   |
| CAS: 822-06-0<br>EINECS: 212-485-8<br>Reg.nr.: 01-2119457571-37      | Hexamethylene-di-isocyanate<br>⚠ Acute Tox. 2, H330; ⚠ Resp. Sens. 1, H334; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204<br>Specific concentration limits:<br>Resp. Sens. 1; H334: C ≥ 0.5 %<br>Skin Sens. 1; H317: C ≥ 0.5 % | <0.1%    |

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 2)

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

##### · **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### · **After skin contact:** Immediately rinse with water.

##### · **After eye contact:** Rinse opened eye for several minutes under running water.

##### · **After swallowing:** If symptoms persist consult doctor.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

##### · **For safety reasons unsuitable extinguishing agents:** Water with full jet

#### · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>)

Carbon monoxide (CO)

Hydrogen cyanide (HCN)

#### · 5.3 Advice for firefighters

##### · **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Contain and collect spillages with non-combustible absorbent materials (e.g. sand, earth, diatomaceous earth) and place in a suitable container.

Add the same decontaminant to any residues and allow to stand for several days in an non-sealed container until no further reaction occurs. Once this stage is reached, close the container and dispose of in accordance with the waste regulations (see Section 13).

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

See Section 13 for disposal information.

(Contd. of page 3)

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.

### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements.

#### Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.  
Store away from foodstuffs.

**Further information about storage conditions:** Keep container tightly sealed.

**Storage class:** 3

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

##### 28182-81-2 Hexamethylene diisocyanate, oligomers

EBW Short-term value: 0.5 mg/m<sup>3</sup>  
exposition evaluation valu TRGS 430 (EBW)

##### 110-12-3 5-Methylhexan-2-one

WEL Short-term value: 475 mg/m<sup>3</sup>, 100 ppm  
Long-term value: 95 mg/m<sup>3</sup>, 20 ppm  
Sk

##### 822-06-0 Hexamethylene-di-isocyanate

WEL Short-term value: 0.07 mg/m<sup>3</sup>  
Long-term value: 0.02 mg/m<sup>3</sup>  
Sen; as -NCO

#### Ingredients with biological limit values:

##### 822-06-0 Hexamethylene-di-isocyanate

BMGV 1 µmol creatinine/mol  
Medium: urine  
Sampling time: At the end of the period od exposure  
Parameter: isocyanate-derived diamine

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

#### Individual protection measures, such as personal protective equipment

All personal protective equipment, including respiratory protective equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH Regulations.

(Contd. on page 5)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 4)

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.

· **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Breakthrough time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

144 °C (110-12-3 5-Methylhexan-2-one)

· **Flammability**

Flammable.

· **Lower and upper explosion limit**

· **Lower:**

0.6 Vol % (64742-95-6 Hydrocarbons, C9, aromatics)

· **Upper:**

8.2 Vol % (110-12-3 5-Methylhexan-2-one)

· **Flash point:**

30 °C (DIN EN ISO 1523:2002)

· **Auto-ignition temperature:**

400 °C (DIN 51794, 110-12-3 5-Methylhexan-2-one)

· **Decomposition temperature:**

Not determined.

(Contd. on page 6)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 5)

|                                                                                        |                                                                                             |
|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| · <b>pH</b>                                                                            | Not determined.                                                                             |
| · <b>Viscosity:</b>                                                                    |                                                                                             |
| · <b>Kinematic viscosity at 20 °C</b>                                                  | 18 s (DIN 53211/4)                                                                          |
| · <b>Dynamic:</b>                                                                      | Not determined.                                                                             |
| · <b>Solubility</b>                                                                    |                                                                                             |
| · <b>water:</b>                                                                        | Not miscible or difficult to mix.                                                           |
| · <b>Partition coefficient n-octanol/water (log value)</b>                             | Not determined.                                                                             |
| · <b>Vapour pressure at 20 °C:</b>                                                     | 5.3 hPa (110-12-3 5-Methylhexan-2-one)                                                      |
| · <b>Density and/or relative density</b>                                               |                                                                                             |
| · <b>Density at 20 °C:</b>                                                             | 0.99 g/cm <sup>3</sup> (DIN EN ISO 2811-1)                                                  |
| · <b>Relative density</b>                                                              | Not determined.                                                                             |
| · <b>Vapour density</b>                                                                | Not determined.                                                                             |
| <b>9.2 Other information</b>                                                           |                                                                                             |
| · <b>Appearance:</b>                                                                   |                                                                                             |
| · <b>Form:</b>                                                                         | Fluid                                                                                       |
| · <b>Important information on protection of health and environment, and on safety.</b> |                                                                                             |
| · <b>Ignition temperature:</b>                                                         | Product is not selfigniting.                                                                |
| · <b>Explosive properties:</b>                                                         | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · <b>Solvent content:</b>                                                              |                                                                                             |
| · <b>VOC (EC)</b>                                                                      | 46.11 %                                                                                     |
| · <b>Solids content (weight-%):</b>                                                    | 53.9 %                                                                                      |
| · <b>Change in condition</b>                                                           |                                                                                             |
| · <b>Evaporation rate</b>                                                              | Not determined.                                                                             |
| <b>Information with regard to physical hazard classes</b>                              |                                                                                             |
| · <b>Explosives</b>                                                                    | Void                                                                                        |
| · <b>Flammable gases</b>                                                               | Void                                                                                        |
| · <b>Aerosols</b>                                                                      | Void                                                                                        |
| · <b>Oxidising gases</b>                                                               | Void                                                                                        |
| · <b>Gases under pressure</b>                                                          | Void                                                                                        |
| · <b>Flammable liquids</b>                                                             | Flammable liquid and vapour.                                                                |
| · <b>Flammable solids</b>                                                              | Void                                                                                        |
| · <b>Self-reactive substances and mixtures</b>                                         | Void                                                                                        |
| · <b>Pyrophoric liquids</b>                                                            | Void                                                                                        |
| · <b>Pyrophoric solids</b>                                                             | Void                                                                                        |
| · <b>Self-heating substances and mixtures</b>                                          | Void                                                                                        |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b>     | Void                                                                                        |
| · <b>Oxidising liquids</b>                                                             | Void                                                                                        |
| · <b>Oxidising solids</b>                                                              | Void                                                                                        |
| · <b>Organic peroxides</b>                                                             | Void                                                                                        |
| · <b>Corrosive to metals</b>                                                           | Void                                                                                        |
| · <b>Desensitised explosives</b>                                                       | Void                                                                                        |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 7)

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 6)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Possible in traces.  
Nitrogen oxides  
Hydrogen chloride (HCl)  
Hydrogen cyanide (prussic acid)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.

- **LD/LC50 values relevant for classification:**

### 64742-95-6 Hydrocarbons, C9, aromatics

|        |      |                       |
|--------|------|-----------------------|
| Oral   | LD50 | >2,000 mg/kg (rat)    |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |

### 110-12-3 5-Methylhexan-2-one

|        |      |                       |
|--------|------|-----------------------|
| Oral   | LD50 | 3,200 mg/kg (rat)     |
| Dermal | LD50 | 10,000 mg/kg (rabbit) |

### 822-06-0 Hexamethylene-di-isocyanate

|        |      |                   |
|--------|------|-------------------|
| Oral   | LD50 | 738 mg/kg (rat)   |
| Dermal | LD50 | 7,000 mg/kg (rat) |

- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) : slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

Harmful to aquatic organisms

(Contd. of page 7)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

##### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR, IMDG, IATA

UN1263

#### 14.2 UN proper shipping name

ADR

UN1263 PAINT RELATED MATERIAL

IMDG, IATA

PAINT RELATED MATERIAL

#### 14.3 Transport hazard class(es)

ADR



Class

3 (F1) Flammable liquids.

Label

3

IMDG, IATA



Class

3 Flammable liquids.

Label

3

#### 14.4 Packing group

ADR, IMDG, IATA

III

#### 14.5 Environmental hazards:

Marine pollutant:

No

#### 14.6 Special precautions for user

Warning: Flammable liquids.

Hazard identification number (Kemler code): 30

EMS Number:

F-E, S-E

Stowage Category

A

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

#### Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Transport category

3

(Contd. on page 9)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 8)

|                                  |                                        |
|----------------------------------|----------------------------------------|
| · <b>Tunnel restriction code</b> | D/E                                    |
| · <b>IMDG</b>                    |                                        |
| · <b>Limited quantities (LQ)</b> | 5L                                     |
| · <b>UN "Model Regulation":</b>  | UN 1263 PAINT RELATED MATERIAL, 3, III |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

#### · **Regulated explosives precursors**

None of the ingredients is listed.

#### · **Regulated poisons**

None of the ingredients is listed.

#### · **Reportable explosives precursors**

None of the ingredients is listed.

#### · **Reportable poisons**

None of the ingredients is listed.

#### · **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

#### · **Seveso category P5c FLAMMABLE LIQUIDS**

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

#### · **National regulations:**

- **Additional classification according to Decree on Hazardous Materials, Annex II:**

| Class | Share in % |
|-------|------------|
| I     | 10-25      |
| NK    | 10-25      |

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · **Relevant phrases**

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

(Contd. on page 10)

## Safety data sheet

according to UK REACH

Printing date 02.12.2025

Version number 9 (replaces version 8)

Revision: 02.12.2025

**Trade name: Mipa 2K-HS-Härter HS 45 extra lang**

(Contd. of page 9)

*EUH204 Contains isocyanates. May produce an allergic reaction.*

· **Classification according to Regulation (EC) No 1272/2008**

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.*

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Flam. Liq. 3: Flammable liquids – Category 3*

*Acute Tox. 2: Acute toxicity – Category 2*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Resp. Sens. 1: Respiratory sensitisation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Repr. 2: Reproductive toxicity – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

· **\* Data compared to the previous version altered.**

GB