

Printing date 30.08.2024

Safety data sheet

according to UK REACH Version number 17 (replaces version 16)

Revision: 30.08.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- [·] Trade name: Mipa E 80 Kaltzinn
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Filler and surfacer
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: MIPA SE
 Am Oberen Moos 1
 D-84051 Essenbach
 Tel.: +49 8703 92 20
 Fax.: +49 8703 92 21 00
 e-mail: sdb-registratur@mipa-paints.com
 www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

• Hazard-determining components of labelling: Bis[4-(2,3-epoxypropoxy)phenyl]propane Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

⁻ GB



according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

24 Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

(Contd. of page 1)

Precautionary s	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
Additional info	rmation:
	a analy constituents. May need us an allernia reaction

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 1675-54-3	Bis[4-(2,3-epoxypropoxy)phenyl]propane	25-50%
EINECS: 216-823-5	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye	
Reg.nr.: 01-2119456619-26	Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ %	
	Skin Irrit. 2; H315: C ≥ 5 %	
CAS: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-	2.5-<10%
NLP: 500-006-8	2,3-epoxypropane and phenol	
Reg.nr.: 01-2119454392-40	Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 7429-90-5	aluminium powder (stabilized)/ manufacturer classification	2.5-<10%
EINECS: 231-072-3	🚸 Flam. Sol. 1, H228	
Reg.nr.: 01-2119529243-45		
CAS: 68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	2.5-<10%
EINECS: 271-846-8	1, H317 Skin Irrit. 2, H315; Skin Sens. 1, H317	
Reg.nr.: 01-2119485289-22		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <	2.5-<10%
Reg.nr.: 01-2119457273-39	2% aromatics	
	🕹 Asp. Tox. 1, H304, EUH066	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

(Contd. on page 3)

[—] GB



according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

(Contd. of page 2)

• After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- No luither relevant information availa
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024 Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7429-90-5 aluminium powder (stabilized)/ manufacturer classification

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material Value for the permeation: Level ≤ 6

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- Physical state

Colour:

Fluid According to product specification

(Contd. on page 5)



Safety data sheet according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

Version number 17 (replaces version 16)

	(Contd. of page
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	>320 °C (1675-54-3 Bis[4-(2,3-epoxypropox
5 5	phenyl]propane)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	100 °C (DIN EN ISO 1523:2002)
Auto-ignition temperature:	460 °C (DIN 51794)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	Not determined.
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
	Not determined.
value)	<0.1 hPa
Vapour pressure at 20 °C:	<0.1 mPa
Density and/or relative density	
Density at 20 °C:	1.67 g/cm³ (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	3.39 %
Solids content (weight-%):	96.6 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
	Void
Self-heating substances and mixtures	
Substances and mixtures, which emit	
Substances and mixtures, which emit flammable gases in contact with water	Void
Substances and mixtures, which emit	Void Void



according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

		(Contd. of page 5)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Possible in traces. Nitrogen oxides Hydrogen chloride (HCI) Carbon monoxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

• **Respiratory or skin sensitisation** May cause an allergic skin reaction.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) : hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms

(Contd. on page 7)



Printing date 30.08.2024

Safety data sheet according to UK REACH

Revision: 30.08.2024

Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN3082
	6//3082
14.2 UN proper shipping name	
ADR	UN3082 ENVIRONMENTALLY HAZARDOU
IMDG	SUBSTANCE, LIQUID, N.O.S. (Bisphenolresins) ENVIRONMENTALLY HAZARDOU
IMDG	SUBSTANCE, LIQUID, N.O.S. (Bisphenolresins
	MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (Bisphenolresins)
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances ar
	articles.
Label	9
IMDG, IATA	
\mathbf{A} \wedge	
Class	
	articles.
	9 Miscellaneous dangerous substances an articles. 9
Label 14.4 Packing group	articles. 9
Label 14.4 Packing group ADR, IMDG, IATA	articles.
Label 14.4 Packing group ADR, IMDG, IATA	articles. 9 III Product contains environmentally hazardou
Label 14.4 Packing group ADR, IMDG, IATA	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluene
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluend Bisphenolresins
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluend Bisphenolresins Yes
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant:	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluene Bisphenolresins Yes Symbol (fish and tree)
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluene Bisphenolresins Yes Symbol (fish and tree) Symbol (fish and tree)
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	articles. 9 III Product contains environmentally hazardou substances: Butylated hydroxytoluend Bisphenolresins Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): 14.6 Special precautions for user	articles. 9 III Product contains environmentally hazardo substances: Butylated hydroxytoluen Bisphenolresins Yes Symbol (fish and tree) Symbol (fish and tree)



according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

	(Contd. of page 7
 Hazard identification number (Kem EMS Number: Stowage Category 	nler code): 90 F-A,S-F A
 14.7 Maritime transport in bulk acc IMO instruments 	cording to Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Remarks:	5L 3 ≤ 5I: SV 375 ADR
· IMDG · Limited quantities (LQ) · Remarks:	5L ≤ 51: 2.10.2.7 IMDG-Code
· IATA · Remarks:	<i>≤</i> 5I: A 197
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS S U B S T A N C E , L I Q U I D , N . O . S (BISPHENOLRESINS), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

- · Regulated poisons
- None of the ingredients is listed.

· Reportable explosives precursors

7429-90-5 aluminium powder (stabilized)/ manufacturer classification


Listed

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- \cdot Additional classification according to Decree on Hazardous Materials, Annex II:



• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Contd. on page 9)



Safety data sheet according to UK REACH

Revision: 30.08.2024

Printing date 30.08.2024

Version number 17 (replaces version 16)

Trade name: Mipa E 80 Kaltzinn

		(Contd. of page 8)
Relevar	nt phrases	
	Flammable solid.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
	May cause an allergic skin reaction.	
	• •	
	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
	ි Repeated exposure may cause skin dryness or cracking.	
EUH205	5 Contains epoxy constituents. May produce an allergic reaction.	
Classifi	cation according to Regulation (EC) No 1272/2008	
	ssification of the mixture is generally based on the calculation metho	d using substance data
	ng to Regulation (EC) No 1272/2008.	g
	iations and acronyms:	
	lement international concernant le transport des marchandises dangereuses par	chemin de fer (Regulations
	ig the International Transport of Dangerous Goods by Rail)	enemin de lei (riegulatione
	ernational Civil Aviation Organisation	
	ord relatif au transport international des marchandises dangereuses par route (Euro	pean Agreement Concerning
the Interna	ational Carriage of Dangerous Goods by Road)	
	ernational Maritime Code for Dangerous Goods	
	rnational Air Transport Association	
	bally Harmonised System of Classification and Labelling of Chemicals	
	European Inventory of Existing Commercial Chemical Substances	
	European List of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society)	
	atile Organic Compounds (USA, EU)	
	sistent. Bioaccumulative and Toxic	
	y Persistent and very Bioaccumulative	
	1: Flammable solids – Category 1	
	2: Skin corrosion/irritation – Čategory 2	
	2: Serious eye damage/eye irritation – Category 2	
	s. 1: Skin sensitisation – Category 1	
	1: Aspiration hazard – Category 1	
•	hronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Categor	y 2
* Data c	compared to the previous version altered.	
		GB