

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: <u>Mipa PROTect Easy Clean</u>
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Surface protection
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: MIPA SE
 Am Oberen Moos 1
 D-84051 Essenbach
 Tel.: +49(0)8703-922-0
 Fax.: +49(0)8703-922-100
 e-mail: sdb-registratur@mipa-paints.com
 www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour. Water-react. 3 H261 In contact with water releases flammable gases. corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Acute Tox. 4 H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



· Signal word Danger

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2023

Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Easy Clean

	(Contd. of page 1)
Hazard-detern	nining components of labelling:
Organic polysila	azane compound
n-Butyl acetate	
3-aminopropylt	riethoxysilane
Reaction mass	of pentamethyl-piperidyl sebacate
Hazard statem	
H226 Flammab	ble liquid and vapour.
H261 In contac	t with water releases flammable gases.
H302 Harmful i	f swallowed.
H314 Causes s	severe skin burns and eye damage.
H317 May caus	se an allergic skin reaction.
	se drowsiness or dizziness.
H412 Harmful t	to aquatic life with long lasting effects.
Precautionary	statements
P101	
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
Additional info	ormation:
EUH066 Repea	ated exposure may cause skin dryness or cracking.
2.3 Other haza	
Results of PB	T and vPvB assessment
DDT. Mat and	

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 123-86-4	n-Butyl acetate	50-100%
EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336, EUH066	
CAS: 475645-84-2	Organic polysilazane compound	25-50%
	♦ Flam. Liq. 2, H225; Water-react. 3, H261; Corr. 1B, H314; Eye Dam. 1, H318; H302; Aquatic Chronic 3, H412 Specific concentration limit: Water-react. 3; H261: $C \ge 5$ %	
CAS: 919-30-2	3-aminopropyltriethoxysilane	<i>≥</i> 5-<10%
EINECS: 213-048-4 Reg.nr.: 01-2119480479-24	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	
EC number: 915-687-0	Reaction mass of pentamethyl-piperidyl sebacate	<i>≥</i> 0.25-<1%
Reg.nr.: 01-2119491304-40	Repr. 2, H361f; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Aquatic Skin Sens. 1A, H317	



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Easy Clean

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Easy Clean

(Contd. of page 3)

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• *Information about fire - and explosion protection:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-Butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several (Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Easy Clean

(Contd. of page 4)

- substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- [.] Breakthrough time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection



Tightly sealed goggles

9.1 Information on basic physical and chem	nical properties
General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	124-128 °C (123-86-4 n-Butyl acetate)
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
Flash point:	27 °C (DIN EN ISO 1523:2002)
Ignition temperature:	300 °C (DIN 51794)
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	Not dotominou.
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Value) Vapour pressure at 20 °C:	10.7 hPa
Density and/or relative density	10.7 HFa
	0.025 m/cm3 (DIN EN 180.2844.4)
Density at 20 °C:	0.925 g/cm ³ (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation o
	explosive air/vapour mixtures are possible.
Solvent content:	
	59.15 %
VOC (EC) Solids content (weight-%):	59.15 % 40.9 %

- GB



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

Printing date 01.03.2023

namo: Mina PPOToct Easy Cloan

	(Contd. of pag
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	In contact with water releases flammable gases
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

- \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.
- · LD/LC50 values relevant for classification:

123-86-4 n-Butyl acetate

Oral LD50 13,100 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- STOT-single exposure May cause drowsiness or dizziness.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

GE



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 01.03.2023

Version number 7 (replaces version 6)

Trade name: Mipa PROTect Easy Clean

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• 14.1 UN number or ID number • ADR, IMDG, IATA	UN3470
· 14.2 UN proper shipping name · ADR	UN3470 PAINT RELATED MATERIA CORROSIVE, FLAMMABLE
· IMDG, IATA	PAINT RELATED MATERIAL, CORROSIN FLAMMABLE
14.3 Transport hazard class(es)	
ADR	
· Class	8 (CF1) Corrosive substances.



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Easy Clean

	(Contd. of page
Label	8+3
IMDG	
· Class	8 Corrosive substances.
Label	8/3
[.] Class	8 Corrosive substances.
Label	8 (3)
· 14.4 Packing group · ADR, IMDG, IATA	11
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 	Warning: Corrosive substances. 83 F-E,S-C B SW2 Clear of living quarters.
[•] 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
ADR Limited quantities (LQ) Transport category Tunnel restriction code	1L 2 D/E
· IMDG · Limited quantities (LQ)	1L
UN "Model Regulation":	UN 3470 PAINT RELATED MATERIA CORROSIVE, FLAMMABLE, 8 (3), II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 01.03.2023

Printing date 01.03.2023

Version number 7 (replaces version 6)

Trade name: Mipa PROTect Easy Clean

(Contd. of page 8)

• National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

50-100 NK

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Highly flammable liquid and vapour. H225
- H226 Flammable liquid and vapour.
- In contact with water releases flammable gases. H261
- H302 Harmful if swallowed.
- Causes severe skin burns and eye damage. H314
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Water-react. 3: Substances and mixtures which in contact with water emit flammable gases - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * * Data compared to the previous version altered.