

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Mipa PROTect Ultra 9H
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Surface protection
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3

H226 Flammable liquid and vapour.

health hazard

STOT RE 2H373 May cause damage to organs through prolonged or repeated exposure.Asp. Tox. 1H304 May be fatal if swallowed and enters airways.



\mathbf{V}	
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

(Contd. on page 2)

[—] GB



Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Ultra 9H

	(Contd. of page 1)
· Hazard-detern	nining components of labelling:
Xylene	
n-Butyl acetate	
Ethylbenzene	
Reaction mass	of pentamethyl-piperidyl sebacate
 Hazard statem 	ients
H226 Flammab	le liquid and vapour.
H315 Causes s	kin irritation.
H319 Causes s	erious eye irritation.
H317 May caus	se an allergic skin reaction.
H336 May caus	se drowsiness or dizziness.
	se damage to organs through prolonged or repeated exposure.
H304 May be fa	atal if swallowed and enters airways.
H412 Harmful t	o aquatic life with long lasting effects.
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other haza	urds
· Results of PB	T and vPvB assessment
• PBT: Not applie	cable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 123-86-4	n-Butyl acetate	10-25%
EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336, EUH066	
CAS: 1330-20-7	Xylene	<i>≥</i> 10- <i>≤</i> 20%
EINECS: 215-535-7 Reg.nr.: 01-2119488216-32	♦ Flam. Liq. 3, H226; ♦ STOT RE 2, H373; Asp. Tox. 1, H304; ↑ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 2550-02-9	Triethoxypropylsilane	10-25%
EINECS: 219-842-7 Reg.nr.: 01-2119966162-38	🚸 Flam. Liq. 3, H226; () Skin Irrit. 2, H315	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	2.5-<10%
EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	♦ Eye Irrit. 2, H319	
CAS: 100-41-4	Ethylbenzene	2.5-<10%
EINECS: 202-849-4 Reg.nr.: 01-2119489370-35	Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.03.2023

Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Ultra 9H

	(0	Contd. of page 2)
CAS: 12645-31-7	Phosphoric acid, 2-ethylhexyl ester	≥1-<2.5%
EINECS: 235-741-0	< Skin Corr. 1B, H314	
EC number: 915-687-0	Reaction mass of pentamethyl-piperidyl sebacate	<i>≥</i> 0.25-<1%
Reg.nr.: 01-2119491304-40	Repr. 2, H361f; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Aquatic Skin Sens. 1A, H317	
	Chronic 1, H410; 🔿 Skin Sens. 1A, H317	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:** Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: About with limit indice material (cond. distribution and binders.
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 01.03.2023

Trade name: Mipa PROTect Ultra 9H

(Contd. of page 3)

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions: Keep container tightly sealed.

· Storage class: 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

123-86-4 n-Butyl acetate	
--------------------------	--

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

1330-20-7 Xylene

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

100-41-4 Ethylbenzene

WEL Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk

Ingredients with biological limit values:

1330-20-7 Xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric a

Parameter: methyl hippuric acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.
- Avoid contact with the eyes.

(Contd. on page 5)

⁻ GB



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 01.03.2023

(Contd. of page 4)

Trade name: Mipa PROTect Ultra 9H

Avoid contact with the eyes and skin.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- Physical state
- · Colour:
- · Odour:
- Odour threshold:
- Melting point/freezing point:
- Boiling point or initial boiling point and boiling range
- · Flammability
- · Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:
- · Ignition temperature:
- · Decomposition temperature:
- · pH
- · Viscosity:
- Kinematic viscosity at 20 °C
- · Dynamic:

Fluid According to product specification Characteristic Not determined. Undetermined.

124-128 °C (123-86-4 n-Butyl acetate) Flammable.

1.1 Vol % 7.5 Vol % 24 °C (DIN EN ISO 1523:2002) 225 °C (DIN 51794) Not determined. Not determined.

17 s (DIN 53211/4) Not determined.

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2023 Version number 7 (replaces version 6) Revision: 01.03.2023

Trade name: Mipa PROTect Ultra 9H

(Contd. of page
Not miscible or difficult to mix.
Not determined.
10.7 hPa
0.95 g/cm³ (DIN EN ISO 2811-1)
Not determined.
Not determined.
Fluid
th
Product is not selfigniting.
Product is not explosive. However, formation of
explosive air/vapour mixtures are possible.
55.10 %
44.9 %
······································
Not determined.
rd
Void
Flammable liquid and vapour.
Void
Void
Void
Void
Void Void
Void
Void Void
Void Void Void Void
Void Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 01.03.2023

Printing date 01.03.2023

Version number 7 (replaces version 6)

Trade name: Mipa PROTect Ultra 9H

· 10.6 Hazardous decomposition products: Carbon monoxide

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards

• Endocrine disrupting properties

540-97-6 Dodecamethylcyclohexasiloxane

541-02-6 Decamethylcyclopentasiloxane

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 8)

List II

List II



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 01.03.2023

(Contd. of page 7)

Trade name: Mipa PROTect Ultra 9H

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1263 · 14.2 UN proper shipping name UN1263 PAINT · ADR · IMDG, IATA PAINT 14.3 Transport hazard class(es) ·ADR · Class 3 (F1) Flammable liquids. · Label 3 IMDG, IATA · Class 3 Flammable liquids. · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E Stowage Category Α · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR 5L · Limited quantities (LQ) · Transport category 3 Tunnel restriction code D/E · IMDG · Limited quantities (LQ) 5L · UN "Model Regulation": UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Revision: 01.03.2023

Printing date 01.03.2023

Trade name: Mipa PROTect Ultra 9H

(Contd. of page 8)

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

50-100

NK

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 ** Data compared to the previous version altered.