

Printing date 15.11.2023

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 10 (replaces version 9)

Revision: 15.11.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipa Graffiti-Entferner
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Cleaning material/ Detergent
- [.] 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49 8703 92 20 Fax.: +49 8703 92 21 00 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling:
- n-Butyl acetate
- · Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2023

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

P280	(Contd. of page 1) Wear protective gloves/protective clothing/eye protection/face protection/hearing
, 200	protection.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· Additional info	rmation:
EUH066 Repeat	ted exposure may cause skin dryness or cracking.
• 2.3 Other hazar	rds
Results of PBT	and vPvB assessment
• PBT: Not applic	
• vPvB: Not appli	cable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 123-86-4 EINECS: 204-658-1

Reg.nr.: 01-2119485493-29

n-Butyl acetate

🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336, EUH066

50-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2023

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

(Contd. of page 2)

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-Butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

GR



Printing date 15.11.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information Physical state Fluid · Colour: Colourless Odour: Ester-like Odour threshold: Not determined. · Melting point/freezing point: -76 °C · Boiling point or initial boiling point and boiling range 124-128 °C (123-86-4 n-Butyl acetate) · Flammability Flammable. · Lower and upper explosion limit · Lower: 1.2 Vol % (123-86-4 n-Butyl acetate) · Upper: 7.5 Vol % (123-86-4 n-Butyl acetate) · Flash point: 27 °C (DIN 53213) Auto-ignition temperature: 370 °C (DIN 51794, 123-86-4 n-Butyl acetate) Not determined. · Decomposition temperature: Not determined. · pH · Viscosity: Kinematic viscosity at 20 °C 10-15 s (DIN 53211/4) · Dynamic: Not determined. · Solubility · water at 20 °C: 5 g/l · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 10.7 hPa (123-86-4 n-Butyl acetate) · Vapour pressure at 50 °C: 55 hPa · Density and/or relative density Density at 20 °C: 0.88 g/cm3 (DIN 53217) · Relative density Not determined. (Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 10 (replaces version 9)

Revision: 15.11.2023

Printing date 15.11.2023

Trade name: Mipa Graffiti-Entferner

	(Contd. of page 4
· Vapour density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Fluid
 Important information on protection of heat 	alth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation o
	explosive air/vapour mixtures are possible.
Solvent content:	
· VOC (EC)	100.00 %
Solids content (weight-%):	0.0 %
Change in condition	
Evaporation rate	Not determined.
· Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
[.] Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide
- **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

⁻ GB

Professional Coating Systems

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2023

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

(Contd. of page 5)

LD/LC50 values relevant for classification:

123-86-4 n-Butvl acetate

Oral LD50 13,100 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

• STOT-single exposure May cause drowsiness or dizziness.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

<i>14.1 UN number or ID number ADR, IMDG, IATA</i>	UN1263
14.2 UN proper shipping name	
ADR	UN1263 PAINT RELATED MATERIAL
IMDG, IATA	PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
ADR	
W	
Class	3 (F1) Flammable liquids.



Printing date 15.11.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Flammable liquids. 30 F-E,S-D
Stowage Category	A
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

NK 50-100

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



Printing date 15.11.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9)

Revision: 15.11.2023

Trade name: Mipa Graffiti-Entferner

	(Contd. of page
Releva	nt phrases
	Flammable liquid and vapour.
	May cause drowsiness or dizziness.
	6 Repeated exposure may cause skin dryness or cracking.
	ication according to Regulation (EC) No 1272/2008
	ssification of the mixture is generally based on the calculation method using substance da
	ng to Regulation (EC) No 1272/2008.
	iations and acronyms:
	lement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation ag the International Transport of Dengageue Coode by Rail)
	ng the International Transport of Dangerous Goods by Rail) R: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
	ernational Civil Aviation Organisation
	Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
	cord relatif au transport international des marchandises dangereuses par route (European Agreement Concerni
	ational Carriage of Dangerous Goods by Road)
	ernational Maritime Code for Dangerous Goods
	ernational Air Transport Association
	bally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	emical Abstracts Service (division of the American Chemical Society)
	atile Organic Compounds (USA, EU)
LC50: Le	thal concentration, 50 percent
	thal dose, 50 percent
	sistent, Bioaccumulative and Toxic
	y Persistent and very Bioaccumulative
,	. 3: Flammable liquids – Category 3 : 3: Specific target organ toxicity (single exposure) – Category 3
Dald	compared to the previous version altered.