


according to UK REACH

Printing date 02.10.2024

Version number 19 (replaces version 18)

Revision: 02.10.2024



ĠВ



according to UK REACH

Printing date 02.10.2024

Version number 19 (replaces version 18)

Revision: 02.10.2024

Trade name: Mipa Heizkörperlack

	(Contd. of page 1)	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.	
· Additional inf	ormation:	
EUH066 Repe	ated exposure may cause skin dryness or cracking.	
EUH211 Warn	ing! Hazardous respirable droplets may be formed when sprayed. Do not breathe	
spray or mist.		
2.3 Other haza	ards	
· Results of PB	T and vPvB assessment	
. DRT: Not appli		

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: EC number: 919-857-5 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 25-50% Reg.nr.: 01-2119463258-33 2% aromatics 🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 STOT SE 3, H336, EUH066 CAS: 1330-20-7 Xvlene 2.5-<5% 🚸 Flam. Liq. 3, H226; 🚸 STOT RE 2, H373; Asp. Tox. 1, EINECS: 215-535-7 H304; () Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Reg.nr.: 01-2119488216-32 Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 CAS: 107-98-2 1-methoxy-2-propanol 2.5-<10% EINECS: 203-539-1 🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336 Reg.nr.: 01-2119457435-35 CAS: 77-99-6 1,1,1-Trimethylolpropane <1% EINECS: 201-074-9 🚸 Repr. 2, H361fd

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

GB



Printing date 02.10.2024

Safety data sheet

according to UK REACH

Revision: 02.10.2024

_ . _

Version number 19 (replaces version 18)

Trade name: Mipa Heizkörperlack

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
 Protective equipment: No special measures required.
- **SECTION 6: Accidental release measures**
- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1330-20-7 Xylene

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk: BMGV

(Contd. on page 4)

GB



according to UK REACH Version number 19 (replaces version 18)

Revision: 02.10.2024

(Contd. of page 3)

Printing date 02.10.2024

Trade name: Mipa Heizkörperlack

. .

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk

Ingredients with biological limit values:

1330-20-7 Xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work. • **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Material of gloves
- Fluorocarbon rubber (Viton)

Recommended thickness of the material: \geq 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- Physical state
- · Colour:
- Odour:
 Odour threshold:

Fluid According to product specification Characteristic Not determined.

(Contd. on page 5)

GB



Safety data sheet according to UK REACH

Revision: 02.10.2024

Printing date 02.10.2024

Version number 19 (replaces version 18)

Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	155 °C (Hydrocarbons, C9-C11, n-alkanes
	isoalkanes, cyclics, < 2% aromatics)
Flammability	Flammable.
Lower and upper explosion limit	0.01/5/0/
Lower:	0.6 Vol %
Upper:	8 Vol %
Flash point:	24 °C (DIN EN ISO 1523:2002)
Auto-ignition temperature: Decomposition temperature:	>200 °C (DIN 51794) Not determined.
pH	Not determined.
ייר Viscosity:	Not determined.
Kinematic viscosity at 20 °C	280-300 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	Not determined.
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Value) Vapour pressure at 20 °C:	3 hPa (Hydrocarbons, C9-C11, n-alkanes
	isoalkanes, cyclics, < 2% aromatics)
Density and/or relative density	
Density at 20 °C:	1.198 g/cm³ (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
Form: Important information on protection of hea	Fluid I th
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation c explosive air/vapour mixtures are possible.
Solvent content:	
VOC (EC)	36.08 %
Solids content (weight-%):	63.9 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza classes	ard
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
flammable gases in contact with water	
Oxidising liquids	Void



according to UK REACH

Revision: 02.10.2024

Printing date 02.10.2024

Version number 19 (replaces version 18)

Trade name: Mipa Heizkörperlack

		(Contd. of page 5)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Safety data sheet according to UK REACH

according to UK REACH Version number 19 (replaces version 18)

Revision: 02.10.2024

Printing date 02.10.2024

Trade name: Mipa Heizkörperlack

(Contd. of page 6)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR IMDG, IATA	UN1263 PAINT PAINT
14.3 Transport hazard class(es)	
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	·
Class Label	<i>3 Flammable liquids.</i> <i>3</i>
14.4 Packing group ADR, IMDG, IATA	<i>III</i>
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-E, <u>S-E</u> A
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	
Remarks:	≤ 450 l: 2.2.3.1.5 ADR
IMDG	
Limited quantities (LQ)	5L
Remarks:	≤ 450 l: 2.3.2.5 IMDG-Code

(Contd. on page 8)



Printing date 02.10.2024

Safety data sheet

according to UK REACH Version number 19 (replaces version 18)

Revision: 02.10.2024

Trade name: Mipa Heizkörperlack

(Contd. of page 7)

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	25-50

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

(Contd. on page 9)

GB



Safety data sheet according to UK REACH

Revision: 02.10.2024

Printing date 02.10.2024

Version number 19 (replaces version 18)

Trade name: Mipa Heizkörperlack

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 * Data compared to the previous version altered.	(Contd. of page 8)
· ·	GB