

# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 42 (replaces version 41)

Revision: 03.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipa Latexfarbe matt
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Paint
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

- <sup>•</sup> Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains C(M)IT/MIT (3:1). May produce an allergic reaction.
- <sup>•</sup> 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 55965-84-9 (	C(M)IT/MIT (3:1)	<0.0015%
Reg.nr.: 01-2120764691-48 < F K	<ul> <li>Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; </li> <li>Skin Corr. 1C, H314; Eye Dam. 1, H318;</li> <li>Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); </li> <li>Skin Sens. 1A, H317</li> <li>Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %</li> <li>Skin Irrit. 2; H315: 0.06 % ≤ C &lt; 0.6 %</li> <li>Eye Dam. 1; H318: C ≥ 0.6 %</li> <li>Eye Irrit. 2; H319: 0.06 % ≤ C &lt; 0.6 %</li> <li>Skin Sens. 1A; H317: C ≥ 0.0015 %</li> </ul>	



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41)

Revision: 03.03.2023

Trade name: Mipa Latexfarbe matt

(Contd. of page 1)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- No dangerous substances are released.

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- No special measures required.
- No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- Storage class: 12

(Contd. on page 3)

<sup>-</sup> GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41)

Revision: 03.03.2023

Trade name: Mipa Latexfarbe matt

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 2)

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.

#### · Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Goggles recommended during refilling

## **SECTION 9: Physical and chemical properties**

Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point a	nd
boiling range	100 °C (7732-18-5 water, distilled, conductivity c of similar purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	8.8
, Viscosity:	
Kinematic viscosity	Not determined.



# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 03.03.2023

Printing date 14.03.2023

Version number 42 (replaces version 41)

Trade name: Mip	a Latexfarbe matt
-----------------	-------------------

	(Contd. of page
Dynamic at 20 °C: Solubility	7,000-8,000 mPas
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity o
vapour pressure at 20°C.	of similar purity)
Density and/or relative density	
Density at 20 °C:	1.542 g/cm³ (DIN 53217)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	lth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	, ,
Water:	36.6 %
VOC (EC)	0.01 %
Solids content (weight-%):	63.4 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	
classes	10
Explosives	Void
Flammable gases	Void
Aerosols	Void
	Void
Oxidising gases	Void
Gases under pressure	
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41)

Revision: 03.03.2023

Trade name: Mipa Latexfarbe matt

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

### Endocrine disrupting properties

Endoormo		
68412-54-4	Nonylphenol, branched, ethoxylated	List I
540-97-6	Dodecamethylcyclohexasiloxane	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

## SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- <sup>•</sup> 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41)

Revision: 03.03.2023

Trade name: Mipa Latexfarbe matt

(Contd. of page 5)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	<b>g to</b> Not applicable.
· UN "Model Regulation":	Void

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)
- 68412-54-4 Nonylphenol, branched, ethoxylated

Sunset date: 2021-01-04

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H301 Toxic if swallowed.

- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 7)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 03.03.2023

# Printing date 14.03.2023

# Version number 42 (replaces version 41)

Trade name: Mipa Latexfarbe matt

Abbreviations and acro	
	I concernant le transport des marchandises dangereuses par chemin de fer (Regulation
	ransport of Dangerous Goods by Rail)
	Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviati	
	s by the "International Civil Aviation Organisation" (ICAO)
	ort international des marchandises dangereuses par route (European Agreement Concerni
the International Carriage of D	
IMDG: International Maritime (	
IATA: International Air Transpo	
	stem of Classification and Labelling of Chemicals
	of Existing Commercial Chemical Substances
ELINCS: European List of Not	
	vice (division of the American Chemical Society)
VOC: Volatile Organic Compo	
PBT: Persistent, Bioaccumulat	
vPvB: very Persistent and very	
Acute Tox. 3: Acute toxicity –	<b>U U</b>
Acute Tox. 2: Acute toxicity –	
Skin Corr. 1C: Skin corrosion/i	
Eye Dam. 1: Serious eye dame	
Skin Sens. 1A: Skin sensitisat	
	the aquatic environment - acute aquatic hazard – Category 1
	to the aquatic environment - long-term aquatic hazard – Category 1
* Data compared to the	previous version altered.