

# Safety data sheet

according to UK REACH Version number 7 (replaces version 6)

Revision: 03.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: <u>Mipa Terpentinersatz</u>
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Thinner, Diluent
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: MIPA SE
  Am Oberen Moos 1
  D-84051 Essenbach
  Tel.: +49 8703 92 20
  Fax.: +49 8703 92 21 00
  e-mail: sdb-registratur@mipa-paints.com
  www.mipa-paints.com
- **1.4 Emergency telephone number:** International emergency number: +49(0)700 24112112 (MIP)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

flame					
Flam. Liq. 3	H226	Flammable liquid and vapour.			
health h	nazard				
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.			
STOT SE 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.			
Aquatic Chronic 3	3 H412	Harmful to aquatic life with long lasting effects.			
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.</li> <li>Hazard pictograms</li> <li>GHS02 GHS07 GHS08</li> </ul>					
· Signal word Dan	nger				
<ul> <li>Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</li> </ul>					

H226 Flammable liquid and vapour.

(Contd. on page 2)

<sup>-</sup> GB



## Safety data sheet

according to UK REACH

Revision: 03.03.2023

*Printing date 22.08.2024* 

#### Version number 7 (replaces version 6)

Trade name: Mipa Terpentinersatz

	(Contd. of page 1)			
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.	· · · · /			
H304 May be fatal if swallowed and enters airways.				
H412 Harmful to aquatic life with long lasting effects.				
Precautionary statements				
P101 If medical advice is needed, have product container or label at h	nand.			
P102 Keep out of reach of children.				
P103 Read carefully and follow all instructions.				
P210 Keep away from heat, hot surfaces, sparks, open flames a	nd other ignition			
sources. No smoking.	-			
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.				
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor				
P331 Do NOT induce vomiting.				
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin				
with water [or shower].	•			
P501 Dispose of contents/container in accordance with local/re	egional/national/			
international regulations.	-			
· Additional information:				
EUH066 Repeated exposure may cause skin dryness or cracking.				
2.3 Other hazards				
· Results of PBT and vPvB assessment				
· <b>PBT:</b> Not applicable.				
• <b>vPvB:</b> Not applicable.				

# SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

EC number: 919-857-5 Reg.nr.: 01-2119463258-33		50-100%
	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 STOT SE 3, H336, EUH066	
CAS: 64742-95-6 EC number: 918-668-5 Reg.nr.: 01-2119455851-35	Hydrocarbons, C9, aromatics Flam. Liq. 3, H226;    Asp. Tox. 1, H304;    Aquatic Chronic 2, H411;    STOT SE 3, H335-H336, EUH066	<u>≥</u> 10-<259

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: Seek immediate medical advice.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GB



# Safety data sheet

according to UK REACH Version number 7 (replaces version 6)

Revision: 03.03.2023

# Trade name: Mipa Terpentinersatz

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- No luillier relevant information a
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB



# Safety data sheet

according to UK REACH Version number 7 (replaces version 6)

Revision: 03.03.2023

# Printing date 22.08.2024

### Trade name: Mipa Terpentinersatz

(Contd. of page 3)

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- · Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Breakthrough time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • **Eye/face protection** 



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- · Odour:
- · Odour threshold:
- Melting point/freezing point:
- Boiling point or initial boiling point and boiling range
- · Flammability
- Lower and upper explosion limit
- · Lower:

· Upper:

Fluid According to product specification Characteristic Not determined. Undetermined.

155 °C (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics) Flammable.

0.7 Vol % (64742-95-6 Hydrocarbons, C9, aromatics) 7.5 Vol % (64742-95-6 Hydrocarbons, C9, aromatics)

(Contd. on page 5)

GB



Safety data sheet according to UK REACH

Version number 7 (replaces version 6)

Revision: 03.03.2023

## Trade name: Mipa Terpentinersatz

	(Contd. of page
Flash point:	39 °C (DIN EN ISO 1523:2002)
Auto-ignition temperature:	450 °C (DIN 51794, 64742-95-6 Hydrocarbons
<b>o</b> ,	C9, aromatics)
Decomposition temperature:	Not determined.
pН	Not determined.
Viscosity:	
Kinematic viscosity at 20 °C	10 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	3 hPa (Hydrocarbons, C9-C11, n-alkanes
	isoalkanes, cyclics, < 2% aromatics)
Density and/or relative density	0 707
Density at 20 °C:	0.797 g/cm <sup>3</sup> (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
Solvent content:	explosive allivapour mixtures are possible.
VOC (EC)	100.00 %
Solids content (weight-%):	0.0 %
	0.0 /8
Change in condition	Not determined.
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
	Void
Pyrophoric solids	
Pyrophoric solids Self-heating substances and mixtures	Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void

(Contd. on page 6)



# Safety data sheet

according to UK REACH Version number 7 (replaces version 6)

Revision: 03.03.2023

# Printing date 22.08.2024

# Trade name: Mipa Terpentinersatz

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.
- Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB -



# Safety data sheet according to UK REACH

Version number 7 (replaces version 6)

Revision: 03.03.2023

(Contd. of page 6)

Trade name: Mipa Terpentinersatz

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

111 IN number or ID number	
<i>14.1 UN number or ID number ADR, IMDG, IATA</i>	UN1300
14.2 UN proper shipping name ADR IMDG, IATA	UN1300 TURPENTINE SUBSTITUTE TURPENTINE SUBSTITUTE
14.3 Transport hazard class(es)	
ADR	
Class Label	3 (F1) Flammable liquids.
IMDG, IATA	•
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	<i>III</i>
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E,S-E A
<i>14.7 Maritime transport in bulk according to IMO instruments</i>	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Transport category Tunnel restriction code	5L 3 D/E
IMDG Limited quantities (LQ)	5L
UN "Model Regulation":	UN 1300 TURPENTINE SUBSTITUTE, 3, III

(Contd. on page 8)



# Safety data sheet

according to UK REACH

Revision: 03.03.2023

\_\_\_\_\_

Version number 7 (replaces version 6)

Trade name: Mipa Terpentinersatz

(Contd. of page 7)

### SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<sup>.</sup> Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

#### <sup>.</sup> Reportable poisons

None of the ingredients is listed.

#### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

#### National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	50-100

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

- H304 May be fatal if swallowed and enters airways.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2



# Safety data sheet according to UK REACH

Version number 7 (replaces version 6)

Revision: 03.03.2023

Trade name: Mipa Terpentinersatz

	(Contd. of page 8)
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* * Data compared to the previous version altered.	

GB