

# Safety data sheet

according to UK REACH Version number 5 (replaces version 4)

Revision: 22.08.2024

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Mipa WBS Metallschutzlack
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Paint
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49 8703 92 20 Fax.: +49 8703 92 21 00 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- 1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:
- EUH208 Contains C(M)IT/MIT (3:1). May produce an allergic reaction.
- <sup>.</sup> 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

· · · · · · · · · · · · · · · · · · ·		
CAS: 7779-90-0	Trizinc bis(orthophosphate)	<i>≥</i> 0.25-<2.5%
EINECS: 231-944-3	🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Reg.nr.: 01-2119485044-40		
CAS: 1314-13-2	zinc oxide	<i>≥</i> 0.25-<1%
EINECS: 215-222-5	🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Reg.nr.: 01-2119463881-32		
L		(Contd. on page 2)



# Safety data sheet

according to UK REACH

Revision: 22.08.2024

#### Printing date 22.08.2024

Version number 5 (replaces version 4)

#### Trade name: Mipa WBS Metallschutzlack

		(Contd. of page 1)
CAS: 55965-84-9	C(M)IT/MIT (3:1)	<0.0015%
	<ul> <li>Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; </li> <li>Skin Corr. 1C, H314; Eye Dam. 1, H318;</li> <li>Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); </li> <li>Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C &lt; 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C &lt; 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %</li> </ul>	
Additional information, Co	r the wording of the listed hezerd phrases refer to eastion	16

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)



# Safety data sheet

according to UK REACH

*Printing date 22.08.2024* 

Version number 5 (replaces version 4)

Revision: 22.08.2024

#### Trade name: Mipa WBS Metallschutzlack

(Contd. of page 2)

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- No special measures required.
- No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

· Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Breakthrough time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Goggles recommended during refilling

9.1 Information on basic physic General Information	al and chemical properties
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.



# Safety data sheet according to UK REACH

Version number 5 (replaces version 4)

Revision: 22.08.2024

### Trade name: Mipa WBS Metallschutzlack

	(Contd. of page 3
<i>Melting point/freezing point: Boiling point or initial boiling point and</i>	Undetermined.
boiling range	100 °C (7732-18-5 water, distilled, conductivity o
5 0	of similar purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH	Not determined.
	Not determined.
Viscosity:	Not data wain a d
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity o
-	of similar purity)
Density and/or relative density	
Density at 20 °C:	1.248 g/cm³ (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
••	
Earm	Eluid
Form:	Fluid
Important information on protection of he	
Important information on protection of he and environment, and on safety.	ealth
Important information on protection of he and environment, and on safety. Ignition temperature:	ealth Product is not selfigniting.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties:	ealth
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content:	ealth Product is not selfigniting. Product does not present an explosion hazard.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties:	ealth Product is not selfigniting.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC)	ealth Product is not selfigniting. Product does not present an explosion hazard.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%):	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 %
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 %
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined.
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives	Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical had classes Explosives Flammable gases	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical had classes Explosives Flammable gases Aerosols	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void Void Void Void Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void Void Void Void Void Void Void Voi
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical had classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void Void Void Void Void Void Void Voi
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	ealth Product is not selfigniting. Product does not present an explosion hazard.  4.18 % 55.2 % Not determined.  zard Void Void Void Void Void Void Void Voi
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void Void Void Void Void Void Void Voi
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	ealth Product is not selfigniting. Product does not present an explosion hazard. 4.18 % 55.2 % Not determined. zard Void Void Void Void Void Void Void Voi
Important information on protection of he and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: VOC (EC) Solids content (weight-%): Change in condition Evaporation rate Information with regard to physical has classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Palth         Product is not selfigniting.         Product does not present an explosion hazard.         4.18 %         55.2 %         Not determined.         zard         Void



## Safety data sheet

according to UK REACH Version number 5 (replaces version 4)

Revision: 22.08.2024

Trade name: Mipa WBS Metallschutzlack

		(Conta. of page 4)
· Corrosive to metals	Void	
<ul> <li>Desensitised explosives</li> </ul>	Void	

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide

#### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

(Contd. on page 6)

(Contd of page 4)



# Safety data sheet

according to UK REACH

Revision: 22.08.2024

Version number 5 (replaces version 4)

Trade name: Mipa WBS Metallschutzlack

(Contd. of page 5)

#### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:
- Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	<b>g to</b> Not applicable.
· UN "Model Regulation":	Void

#### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors
- None of the ingredients is listed.

#### Regulated poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)			
68412-54-4 Nonylphenol, branched, ethoxylated	Sunset date: 2021-01-04		

#### • National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in %

2.5-<10

NK

(Contd. on page 7)

GB



# Safety data sheet

according to UK REACH

*Printing date 22.08.2024* 

#### Version number 5 (replaces version 4)

Revision: 22.08.2024

#### Trade name: Mipa WBS Metallschutzlack

(Contd. of page 6)

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H301 Toxic if swallowed.

- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\*\* Data compared to the previous version altered.