Revision: 26.07.2023



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2023

Version number 18 (replaces version 17)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Mipa WBS Parkettsiegel
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MIPA SE

Am Oberen Moos 1 D-84051 Essenbach Tel.: +49 8703 92 20 Fax.: +49 8703 92 21 00

e-mail: sdb-registratur@mipa-paints.com

www.mipa-paints.com

1.4 Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · Additional information:

EUH208 Contains C(M)IT/MIT (3:1), 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Da	na	ero	116	ഹ	mn	Ωn	ent	٠٥٠

CAS: 111-76-2 2-Butoxyethanol 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10% 2.5-<10%

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

		(Contd. of page 1)
CAS: 2634-33-5	1,2-Benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9 Reg.nr.: 01-2120761540-60	Eye Dam. 1, H318;  Aquatic Acute 1, H400; Aquatic Chronic 2, H411;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %	
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48	C(M)IT/MIT (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % ≤ $C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Eye Irrit. 2; H319: 0.06 % ≤ $C < 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	≥0.00025-<0.0015%

Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

No special measures required.

No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Only store in heated receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-Butoxyethanol

WEL | Short-term value: 246 mg/m³, 50 ppm

Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

### · Ingredients with biological limit values:

#### 111-76-2 2-Butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

#### · Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

· Breakthrough time of glove material

(Contd. of page 3)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range 100 °C (7732-18-5 water, distilled, conductivity or

of similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH Not determined.

· Viscosity:

· Kinematic viscosity at 20 °C 22 s (DIN 53211/4) · Dynamic: Not determined.

· Solubility · water:

Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or

of similar purity)

Fully miscible.

Density and/or relative density

• **Density at 20 °C:** 1.033 g/cm³ (DIN EN ISO 2811-1)

Relative density
Not determined.
Vapour density
Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

• Water: 60.1 %
• VOC (EC) 6.25 %
• Solids content (weight-%): 33.6 %

Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard

classes
• Explosives Void
• Flammable gases Void

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

		(Contd. of page 4)
· Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

(Contd. of page 5)

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi	ng to	
IMO instruments	Not applicable.	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

ON (UK ANNEX XIV)

68412-54-4 Nonylphenol, branched, ethoxylated Sunset date: 2021-01-04

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 26.07.2023 Version number 18 (replaces version 17) Revision: 26.07.2023

Trade name: Mipa WBS Parkettsiegel

(Contd. of page 6)

- National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	2.5-<10

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

	· p accc
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.